



## Full wwPDB EM Validation Report ⓘ

Mar 25, 2026 – 06:34 AM UTC

PDB ID : 9I60 / pdb\_00009i60  
EMDB ID : EMD-52644  
Title : Transient activated state of BetP  
Authors : Urbansky, K.; Fu, L.; Madej, M.G.; Ziegler, C.  
Deposited on : 2025-01-29  
Resolution : 3.31 Å(reported)  
Based on initial model : 4C7R

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14550 ( 2.81 - 3.81 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	603	 79% 5% 15%
1	B	603	 76% 7% 17%
1	C	603	 79% 1% 17%

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 23992 atoms, of which 12151 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycine betaine transporter BetP.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	510	Total	C	H	N	O	S	0	0
			7757	2546	3895	623	677	16		
1	B	501	Total	C	H	N	O	S	0	0
			7595	2498	3812	603	666	16		
1	C	502	Total	C	H	N	O	S	0	0
			7612	2503	3820	605	668	16		

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	TRP	-	expression tag	UNP P54582
A	-6	SER	-	expression tag	UNP P54582
A	-5	HIS	-	expression tag	UNP P54582
A	-4	PRO	-	expression tag	UNP P54582
A	-3	GLN	-	expression tag	UNP P54582
A	-2	PHE	-	expression tag	UNP P54582
A	-1	GLU	-	expression tag	UNP P54582
A	0	LYS	-	expression tag	UNP P54582
B	-7	TRP	-	expression tag	UNP P54582
B	-6	SER	-	expression tag	UNP P54582
B	-5	HIS	-	expression tag	UNP P54582
B	-4	PRO	-	expression tag	UNP P54582
B	-3	GLN	-	expression tag	UNP P54582
B	-2	PHE	-	expression tag	UNP P54582
B	-1	GLU	-	expression tag	UNP P54582
B	0	LYS	-	expression tag	UNP P54582
C	-7	TRP	-	expression tag	UNP P54582
C	-6	SER	-	expression tag	UNP P54582
C	-5	HIS	-	expression tag	UNP P54582
C	-4	PRO	-	expression tag	UNP P54582
C	-3	GLN	-	expression tag	UNP P54582
C	-2	PHE	-	expression tag	UNP P54582
C	-1	GLU	-	expression tag	UNP P54582
C	0	LYS	-	expression tag	UNP P54582

- Molecule 2 is (1S)-2-{{[(2R)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL STEARATE (CCD ID: PGT) (formula: C<sub>40</sub>H<sub>79</sub>O<sub>10</sub>P).



Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	H	O	P	0
			129	40	78	10	1	
2	B	1	Total	C	H	O	P	0
			129	40	78	10	1	
2	B	1	Total	C	H	O	P	0
			129	40	78	10	1	
2	C	1	Total	C	H	O	P	0
			129	40	78	10	1	

- Molecule 3 is CARDIOLIPIN (CCD ID: CDL) (formula: C<sub>81</sub>H<sub>156</sub>O<sub>17</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					AltConf
3	C	1	Total	C	H	O	P	0
			256	81	156	17	2	
3	C	1	Total	C	H	O	P	0
			256	81	156	17	2	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Glycine betaine transporter BetP




#### • Molecule 1: Glycine betaine transporter BetP



#### • Molecule 1: Glycine betaine transporter BetP





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	193249	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 200	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	57	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1400	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.423	Depositor
Minimum map value	-0.122	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.018	Depositor
Recommended contour level	0.115	Depositor
Map size (Å)	252.512, 252.512, 252.512	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.7891, 0.7891, 0.7891	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGT, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.20	0/3962	0.36	0/5403
1	B	0.19	0/3882	0.34	0/5297
1	C	0.20	0/3891	0.37	0/5309
All	All	0.19	0/11735	0.36	0/16009

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3862	3895	3894	20	0
1	B	3783	3812	3811	25	0
1	C	3792	3820	3819	19	0
2	A	51	78	78	1	0
2	B	102	156	156	1	0
2	C	51	78	78	0	0
3	C	200	312	312	2	0
All	All	11841	12151	12148	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:186:MET:SD	1:C:336:SER:OG	2.49	0.70
1:C:138:THR:HG22	1:C:392:ARG:HH12	1.60	0.66
1:C:323:VAL:HG23	1:C:447:LEU:HD23	1.79	0.62
1:A:197:TYR:HH	1:A:377:TRP:CD1	2.17	0.62
1:C:137:ARG:O	1:C:138:THR:OG1	2.16	0.61
1:A:152:ILE:HD11	1:A:257:GLY:HA3	1.84	0.59
1:C:161:GLU:HB3	1:C:185:THR:HG22	1.86	0.57
1:B:200:VAL:HG21	1:B:378:SER:OG	2.05	0.56
1:B:476:MET:HE1	1:B:499:THR:CG2	2.36	0.56
1:C:372:ALA:HB1	1:C:526:ALA:HB3	1.88	0.55
1:B:291:ILE:HG23	1:B:295:ILE:HD12	1.87	0.55
1:A:82:ASP:OD1	1:A:83:SER:N	2.38	0.54
1:B:309:ASN:OD1	1:B:310:MET:N	2.41	0.54
1:B:70:VAL:HG13	1:B:502:ILE:HD11	1.90	0.53
1:A:114:ILE:HD13	1:A:199:ILE:HG13	1.90	0.52
1:A:58:LEU:HD23	1:A:481:GLN:OE1	2.10	0.52
1:A:265:LEU:HD11	1:A:282:ILE:HD11	1.92	0.51
1:A:114:ILE:HD13	1:A:199:ILE:CG1	2.42	0.50
1:B:136:PHE:O	1:B:392:ARG:NH2	2.46	0.49
1:C:154:LEU:O	1:C:412:TRP:NE1	2.45	0.49
1:B:141:TRP:NE1	1:B:389:SER:OG	2.44	0.48
1:B:496:GLY:O	1:B:499:THR:OG1	2.28	0.48
1:B:141:TRP:CZ2	1:B:145:MET:HE1	2.49	0.47
1:B:186:MET:HE3	1:B:410:THR:OG1	2.14	0.47
1:B:295:ILE:HD11	1:B:493:ALA:CB	2.45	0.47
1:C:376:SER:OG	1:C:526:ALA:HB2	2.15	0.47
1:A:222:VAL:HG22	1:A:230:ALA:HB2	1.97	0.47
1:A:319:PHE:HB2	1:A:453:MET:HE3	1.96	0.47
1:A:321:PHE:CZ	1:A:330:LEU:HD11	2.50	0.46
1:C:114:ILE:HD11	1:C:195:ALA:O	2.15	0.46
1:A:329:ILE:HD11	1:A:419:THR:CG2	2.45	0.46
1:B:273:ASP:OD1	1:B:273:ASP:N	2.49	0.45
1:C:246:THR:O	1:C:250:THR:HG22	2.16	0.45
1:C:206:TYR:OH	1:C:547:ASP:OD1	2.32	0.45
1:C:114:ILE:HD12	1:C:195:ALA:HB1	1.99	0.45
1:A:202:LEU:HD22	1:A:398:ILE:HD11	1.98	0.44
1:B:197:TYR:CD2	1:B:381:VAL:HG11	2.52	0.44
1:A:291:ILE:HD11	1:A:497:VAL:HG22	1.99	0.44
1:C:319:PHE:O	1:C:323:VAL:HG22	2.17	0.44
1:B:303:GLN:OE1	1:B:303:GLN:N	2.50	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:ILE:HD11	1:B:398:ILE:HD12	2.00	0.43
2:B:601:PGT:H262	3:C:603:CDL:C44	2.49	0.43
1:C:138:THR:HG21	3:C:601:CDL:OA4	2.19	0.43
1:C:321:PHE:CZ	1:C:330:LEU:HD11	2.54	0.43
1:A:291:ILE:O	1:A:295:ILE:HG22	2.19	0.42
1:B:277:TRP:HA	1:B:280:VAL:HG22	2.02	0.42
1:B:302:ILE:HG21	1:B:470:ASP:OD2	2.19	0.42
1:C:392:ARG:NH1	1:C:396:GLU:OE2	2.52	0.42
1:B:202:LEU:HD22	1:B:398:ILE:HD11	2.02	0.41
1:A:376:SER:HB3	1:A:526:ALA:HB2	2.01	0.41
1:C:161:GLU:HB2	1:C:162:PRO:HD3	2.02	0.41
1:B:502:ILE:HA	1:B:505:THR:HG22	2.03	0.41
1:A:328:SER:OG	1:B:353:MET:SD	2.71	0.41
1:C:321:PHE:CE1	1:C:330:LEU:HD11	2.56	0.41
1:A:395:ARG:NH1	2:A:601:PGT:O6	2.53	0.41
1:B:203:ALA:HA	1:B:540:LEU:HD13	2.03	0.41
1:A:98:ASN:O	1:A:101:TRP:NE1	2.53	0.40
1:A:326:THR:O	1:A:330:LEU:HD12	2.20	0.40
1:C:367:THR:HG22	1:C:371:TRP:CD1	2.56	0.40
1:B:151:GLY:O	1:B:155:MET:HE3	2.21	0.40
1:B:329:ILE:HD11	1:B:419:THR:CG2	2.52	0.40
1:B:118:ALA:HB2	1:B:398:ILE:HG21	2.03	0.40
1:B:152:ILE:HD11	1:B:257:GLY:HA3	2.02	0.40
1:A:315:LEU:HG	1:A:453:MET:HE1	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	508/603 (84%)	498 (98%)	10 (2%)	0	<b>100</b> <b>100</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	499/603 (83%)	487 (98%)	12 (2%)	0	100	100
1	C	500/603 (83%)	485 (97%)	15 (3%)	0	100	100
All	All	1507/1809 (83%)	1470 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	396/475 (83%)	396 (100%)	0	100	100
1	B	389/475 (82%)	389 (100%)	0	100	100
1	C	390/475 (82%)	390 (100%)	0	100	100
All	All	1175/1425 (82%)	1175 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	176	HIS
1	C	307	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	CDL	C	603	-	99,99,99	0.29	0	105,111,111	0.52	0
2	PGT	C	602	-	50,50,50	0.48	0	53,56,56	0.55	0
3	CDL	C	601	-	99,99,99	0.31	0	105,111,111	0.54	0
2	PGT	B	602	-	50,50,50	0.48	0	53,56,56	0.51	0
2	PGT	A	601	-	50,50,50	0.48	0	53,56,56	0.49	0
2	PGT	B	601	-	50,50,50	0.47	0	53,56,56	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CDL	C	603	-	-	47/110/110/110	-
2	PGT	C	602	-	-	20/55/55/55	-
3	CDL	C	601	-	-	49/110/110/110	-
2	PGT	B	602	-	-	24/55/55/55	-
2	PGT	A	601	-	-	19/55/55/55	-
2	PGT	B	601	-	-	21/55/55/55	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (180) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	PGT	C32-C31-O2-C2
2	A	601	PGT	O31-C31-O2-C2
2	A	601	PGT	C1-O3P-P-O1P
2	A	601	PGT	C1-O3P-P-O4P
2	B	601	PGT	C32-C31-O2-C2
2	B	601	PGT	O31-C31-O2-C2
2	B	601	PGT	C1-O3P-P-O2P
2	B	601	PGT	C1-O3P-P-O4P
2	B	601	PGT	C4-O4P-P-O1P
2	B	602	PGT	C32-C31-O2-C2
2	B	602	PGT	C1-O3P-P-O1P
2	B	602	PGT	C4-O4P-P-O1P
2	C	602	PGT	O31-C31-O2-C2
2	C	602	PGT	C1-O3P-P-O4P
2	C	602	PGT	O4P-C4-C5-C6
3	C	601	CDL	O1-C1-CA2-OA2
3	C	601	CDL	CA2-OA2-PA1-OA3
3	C	601	CDL	CA2-OA2-PA1-OA5
3	C	601	CDL	CA3-OA5-PA1-OA3
3	C	601	CDL	C51-CB5-OB6-CB4
3	C	603	CDL	CA2-C1-CB2-OB2
3	C	603	CDL	C1-CA2-OA2-PA1
3	C	603	CDL	CA3-OA5-PA1-OA2
3	C	603	CDL	CA3-OA5-PA1-OA4
3	C	603	CDL	C11-CA5-OA6-CA4
3	C	603	CDL	C51-CB5-OB6-CB4
3	C	601	CDL	OB9-CB7-OB8-CB6
2	A	601	PGT	O11-C11-O3-C3
3	C	601	CDL	OA9-CA7-OA8-CA6
2	B	602	PGT	O31-C31-O2-C2
3	C	601	CDL	OA7-CA5-OA6-CA4
3	C	601	CDL	OB7-CB5-OB6-CB4
3	C	603	CDL	OA7-CA5-OA6-CA4
3	C	603	CDL	OB7-CB5-OB6-CB4
2	A	601	PGT	C12-C11-O3-C3
3	C	601	CDL	C71-CB7-OB8-CB6
2	C	602	PGT	C32-C31-O2-C2
3	C	601	CDL	C11-CA5-OA6-CA4
3	C	601	CDL	C31-CA7-OA8-CA6
3	C	601	CDL	CB2-C1-CA2-OA2
3	C	603	CDL	CB2-C1-CA2-OA2
2	C	602	PGT	O4P-C4-C5-O5
3	C	601	CDL	O1-C1-CB2-OB2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	603	CDL	O1-C1-CB2-OB2
3	C	601	CDL	CB7-C71-C72-C73
3	C	601	CDL	CA7-C31-C32-C33
3	C	601	CDL	C20-C21-C22-C23
2	B	602	PGT	C12-C11-O3-C3
2	B	602	PGT	C4-C5-C6-O6
2	B	602	PGT	O11-C11-O3-C3
3	C	603	CDL	C33-C34-C35-C36
2	B	601	PGT	C44-C45-C46-C47
3	C	603	CDL	C15-C16-C17-C18
3	C	603	CDL	C71-C72-C73-C74
3	C	603	CDL	C55-C56-C57-C58
2	A	601	PGT	C34-C35-C36-C37
2	B	602	PGT	C35-C36-C37-C38
3	C	601	CDL	C18-C19-C20-C21
3	C	601	CDL	C38-C39-C40-C41
2	A	601	PGT	C42-C43-C44-C45
2	A	601	PGT	C39-C40-C41-C42
2	B	601	PGT	C35-C36-C37-C38
2	C	602	PGT	C36-C37-C38-C39
3	C	601	CDL	C78-C79-C80-C81
3	C	601	CDL	C15-C16-C17-C18
3	C	601	CDL	C35-C36-C37-C38
3	C	601	CDL	C63-C64-C65-C66
2	A	601	PGT	C22-C23-C24-C25
2	B	601	PGT	C12-C11-O3-C3
3	C	603	CDL	C52-C53-C54-C55
3	C	603	CDL	C60-C61-C62-C63
2	B	601	PGT	C41-C42-C43-C44
2	B	601	PGT	C22-C23-C24-C25
3	C	601	CDL	C74-C75-C76-C77
2	A	601	PGT	O3P-C1-C2-O2
3	C	603	CDL	C20-C21-C22-C23
2	B	602	PGT	C44-C45-C46-C47
3	C	601	CDL	CA4-CA6-OA8-CA7
3	C	601	CDL	C14-C15-C16-C17
2	B	601	PGT	C43-C44-C45-C46
3	C	603	CDL	OB5-CB3-CB4-CB6
3	C	603	CDL	C18-C19-C20-C21
2	A	601	PGT	C33-C34-C35-C36
2	A	601	PGT	C20-C21-C22-C23
2	B	602	PGT	C37-C38-C39-C40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	601	CDL	C16-C17-C18-C19
3	C	603	CDL	C36-C37-C38-C39
2	B	601	PGT	O11-C11-O3-C3
3	C	603	CDL	C61-C62-C63-C64
3	C	603	CDL	C74-C75-C76-C77
2	B	602	PGT	C33-C34-C35-C36
2	C	602	PGT	C33-C34-C35-C36
3	C	603	CDL	C41-C42-C43-C44
2	C	602	PGT	C44-C45-C46-C47
3	C	603	CDL	C77-C78-C79-C80
2	C	602	PGT	C43-C44-C45-C46
2	C	602	PGT	C17-C18-C19-C20
2	B	602	PGT	C22-C23-C24-C25
2	B	602	PGT	O4P-C4-C5-O5
2	B	601	PGT	C19-C20-C21-C22
3	C	603	CDL	C75-C76-C77-C78
3	C	601	CDL	CA4-CA3-OA5-PA1
3	C	601	CDL	C41-C42-C43-C44
2	C	602	PGT	C12-C13-C14-C15
3	C	603	CDL	C23-C24-C25-C26
2	A	601	PGT	O3P-C1-C2-C3
2	B	602	PGT	O3P-C1-C2-C3
3	C	603	CDL	C44-C45-C46-C47
3	C	603	CDL	C64-C65-C66-C67
2	B	601	PGT	C39-C40-C41-C42
3	C	601	CDL	OA5-CA3-CA4-OA6
3	C	603	CDL	OB5-CB3-CB4-OB6
2	C	602	PGT	C5-C4-O4P-P
2	B	601	PGT	C15-C16-C17-C18
3	C	601	CDL	C32-C33-C34-C35
3	C	603	CDL	C81-C82-C83-C84
3	C	601	CDL	C53-C54-C55-C56
3	C	603	CDL	C39-C40-C41-C42
3	C	601	CDL	OA5-CA3-CA4-CA6
3	C	603	CDL	C80-C81-C82-C83
2	B	602	PGT	C3-C2-O2-C31
3	C	601	CDL	C51-C52-C53-C54
2	B	601	PGT	C18-C19-C20-C21
3	C	603	CDL	C54-C55-C56-C57
2	B	602	PGT	C11-C12-C13-C14
2	B	601	PGT	C2-C1-O3P-P
2	B	602	PGT	C19-C20-C21-C22

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	603	CDL	C13-C14-C15-C16
2	A	601	PGT	C12-C13-C14-C15
3	C	601	CDL	C84-C85-C86-C87
2	C	602	PGT	O3-C11-C12-C13
3	C	603	CDL	C84-C85-C86-C87
2	B	601	PGT	O3P-C1-C2-C3
2	C	602	PGT	C18-C19-C20-C21
3	C	601	CDL	C62-C63-C64-C65
3	C	603	CDL	CA4-CA3-OA5-PA1
3	C	601	CDL	OB6-CB4-CB6-OB8
3	C	601	CDL	CB3-CB4-CB6-OB8
2	A	601	PGT	C32-C33-C34-C35
2	A	601	PGT	C1-O3P-P-O2P
2	B	602	PGT	C4-O4P-P-O3P
2	C	602	PGT	C1-O3P-P-O1P
2	C	602	PGT	C4-O4P-P-O1P
2	B	602	PGT	C20-C21-C22-C23
3	C	603	CDL	CB5-C51-C52-C53
3	C	601	CDL	C81-C82-C83-C84
3	C	601	CDL	CA6-CA4-OA6-CA5
3	C	603	CDL	C19-C20-C21-C22
2	C	602	PGT	C40-C41-C42-C43
2	A	601	PGT	C31-C32-C33-C34
3	C	603	CDL	C42-C43-C44-C45
3	C	601	CDL	CB4-CB3-OB5-PB2
2	B	601	PGT	O3P-C1-C2-O2
3	C	603	CDL	O1-C1-CA2-OA2
2	B	602	PGT	C13-C14-C15-C16
2	B	601	PGT	C20-C21-C22-C23
3	C	601	CDL	C57-C58-C59-C60
2	B	602	PGT	C40-C41-C42-C43
2	B	602	PGT	C45-C46-C47-C48
3	C	603	CDL	C40-C41-C42-C43
3	C	601	CDL	C64-C65-C66-C67
2	B	602	PGT	O3P-C1-C2-O2
2	C	602	PGT	O3P-C1-C2-O2
3	C	603	CDL	OA5-CA3-CA4-OA6
3	C	601	CDL	C40-C41-C42-C43
2	B	602	PGT	C17-C18-C19-C20
3	C	601	CDL	C59-C60-C61-C62
3	C	601	CDL	C42-C43-C44-C45
3	C	603	CDL	C76-C77-C78-C79

*Continued on next page...*

*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
2	A	601	PGT	C37-C38-C39-C40
3	C	603	CDL	C12-C13-C14-C15
3	C	603	CDL	C11-C12-C13-C14
3	C	601	CDL	C52-C51-CB5-OB6
3	C	603	CDL	OB6-CB4-CB6-OB8
2	C	602	PGT	C1-C2-O2-C31
3	C	601	CDL	C22-C23-C24-C25
2	C	602	PGT	O11-C11-C12-C13
2	B	601	PGT	O3-C11-C12-C13
3	C	601	CDL	C52-C51-CB5-OB7
3	C	603	CDL	C52-C51-CB5-OB6


There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	603	CDL	1	0
3	C	601	CDL	1	0
2	A	601	PGT	1	0
2	B	601	PGT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52644. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


### 6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 169




Y Index: 140




Z Index: 150


### 6.3.2 Raw map



X Index: 169



Y Index: 139




Z Index: 150

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.115. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 90 nm<sup>3</sup>; this corresponds to an approximate mass of 81 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.302  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.302  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.31	-	-
Author-provided FSC curve	3.31	3.72	3.35
Unmasked-calculated*	3.79	4.14	3.83

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.79 differs from the reported value 3.31 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52644 and PDB model 9I60. Per-residue inclusion information can be found in section [3](#) on page [6](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.115 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.115).



## 9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.115) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7890	<div></div> 0.4550
A	<div></div> 0.8060	<div></div> 0.4560
B	<div></div> 0.8060	<div></div> 0.4610
C	<div></div> 0.7620	<div></div> 0.4490

