wwPDB EM Validation Summary Report (i)

Apr 6, 2026 – 12:34 AM UTC

PDB ID	:	9KPZ / pdb_00009kpz
EMDB ID	:	EMD-62492
Title	:	Structure of TolQRA complex at pH 5.4 from E.coli
Authors	:	Dong, C.; Zhang, Z.
Deposited on	:	2024-11-24
Resolution	:	3.18 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14470 (2.68 - 3.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	5% 75% 19% 5%
1	B	232	75% 21%
1	C	232	72% 22% 6%
1	D	232	76% 18% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	232	
2	F	142	
2	G	142	
3	H	557	
3	I	557	
3	J	557	
3	K	557	
3	L	557	

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 10447 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tol-Pal system protein TolQ.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	220	Total	C	N	O	S	0	0
			1727	1115	297	307	8		
1	B	223	Total	C	N	O	S	0	0
			1752	1131	301	312	8		
1	C	219	Total	C	N	O	S	0	0
			1708	1104	293	303	8		
1	D	218	Total	C	N	O	S	0	0
			1708	1106	294	301	7		
1	E	221	Total	C	N	O	S	0	0
			1738	1122	299	309	8		

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P0ABU9
A	0	GLY	-	expression tag	UNP P0ABU9
A	1	VAL	-	expression tag	UNP P0ABU9
B	-1	MET	-	initiating methionine	UNP P0ABU9
B	0	GLY	-	expression tag	UNP P0ABU9
B	1	VAL	-	expression tag	UNP P0ABU9
C	-1	MET	-	initiating methionine	UNP P0ABU9
C	0	GLY	-	expression tag	UNP P0ABU9
C	1	VAL	-	expression tag	UNP P0ABU9
D	-1	MET	-	initiating methionine	UNP P0ABU9
D	0	GLY	-	expression tag	UNP P0ABU9
D	1	VAL	-	expression tag	UNP P0ABU9
E	-1	MET	-	initiating methionine	UNP P0ABU9
E	0	GLY	-	expression tag	UNP P0ABU9
E	1	VAL	-	expression tag	UNP P0ABU9

- Molecule 2 is a protein called Tol-Pal system protein TolR.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	F	23	Total	C	N	O	S	0	0
			179	123	25	30	1		
2	G	25	Total	C	N	O	S	0	0
			191	131	27	32	1		

- Molecule 3 is a protein called Ubiquitin-like protein SMT3,Tol-Pal system protein TolA.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	H	28	Total	C	N	O	0	0
			214	145	34	35		
3	I	30	Total	C	N	O	0	0
			237	158	40	39		
3	J	29	Total	C	N	O	0	0
			200	133	34	33		
3	K	31	Total	C	N	O	0	0
			230	151	38	41		
3	L	29	Total	C	N	O	0	0
			220	146	36	38		

There are 200 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	-134	MET	-	initiating methionine	UNP Q12306
H	-133	GLY	-	expression tag	UNP Q12306
H	-132	HIS	-	expression tag	UNP Q12306
H	-131	HIS	-	expression tag	UNP Q12306
H	-130	HIS	-	expression tag	UNP Q12306
H	-129	HIS	-	expression tag	UNP Q12306
H	-128	HIS	-	expression tag	UNP Q12306
H	-127	HIS	-	expression tag	UNP Q12306
H	-126	HIS	-	expression tag	UNP Q12306
H	-125	HIS	-	expression tag	UNP Q12306
H	-124	GLY	-	expression tag	UNP Q12306
H	-123	SER	-	expression tag	UNP Q12306
H	-122	LEU	-	expression tag	UNP Q12306
H	-121	GLN	-	expression tag	UNP Q12306
H	-23	ALA	-	linker	UNP Q12306
H	-22	ALA	-	linker	UNP Q12306
H	-21	ASP	-	linker	UNP Q12306
H	-20	TYR	-	linker	UNP Q12306
H	-19	GLY	-	linker	UNP Q12306
H	-18	GLY	-	linker	UNP Q12306
H	-17	ASP	-	linker	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-16	ILE	-	linker	UNP Q12306
H	-15	PRO	-	linker	UNP Q12306
H	-14	THR	-	linker	UNP Q12306
H	-13	THR	-	linker	UNP Q12306
H	-12	GLU	-	linker	UNP Q12306
H	-11	ASN	-	linker	UNP Q12306
H	-10	LEU	-	linker	UNP Q12306
H	-9	TYR	-	linker	UNP Q12306
H	-8	PHE	-	linker	UNP Q12306
H	-7	GLN	-	linker	UNP Q12306
H	-6	GLY	-	linker	UNP Q12306
H	-5	ALA	-	linker	UNP Q12306
H	-4	ALA	-	linker	UNP Q12306
H	-3	ALA	-	linker	UNP Q12306
H	-2	ASP	-	linker	UNP Q12306
H	-1	ILE	-	linker	UNP Q12306
H	0	GLY	-	linker	UNP Q12306
H	1	SER	-	linker	UNP Q12306
H	2	VAL	-	linker	UNP Q12306
I	-134	MET	-	initiating methionine	UNP Q12306
I	-133	GLY	-	expression tag	UNP Q12306
I	-132	HIS	-	expression tag	UNP Q12306
I	-131	HIS	-	expression tag	UNP Q12306
I	-130	HIS	-	expression tag	UNP Q12306
I	-129	HIS	-	expression tag	UNP Q12306
I	-128	HIS	-	expression tag	UNP Q12306
I	-127	HIS	-	expression tag	UNP Q12306
I	-126	HIS	-	expression tag	UNP Q12306
I	-125	HIS	-	expression tag	UNP Q12306
I	-124	GLY	-	expression tag	UNP Q12306
I	-123	SER	-	expression tag	UNP Q12306
I	-122	LEU	-	expression tag	UNP Q12306
I	-121	GLN	-	expression tag	UNP Q12306
I	-23	ALA	-	linker	UNP Q12306
I	-22	ALA	-	linker	UNP Q12306
I	-21	ASP	-	linker	UNP Q12306
I	-20	TYR	-	linker	UNP Q12306
I	-19	GLY	-	linker	UNP Q12306
I	-18	GLY	-	linker	UNP Q12306
I	-17	ASP	-	linker	UNP Q12306
I	-16	ILE	-	linker	UNP Q12306
I	-15	PRO	-	linker	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	-14	THR	-	linker	UNP Q12306
I	-13	THR	-	linker	UNP Q12306
I	-12	GLU	-	linker	UNP Q12306
I	-11	ASN	-	linker	UNP Q12306
I	-10	LEU	-	linker	UNP Q12306
I	-9	TYR	-	linker	UNP Q12306
I	-8	PHE	-	linker	UNP Q12306
I	-7	GLN	-	linker	UNP Q12306
I	-6	GLY	-	linker	UNP Q12306
I	-5	ALA	-	linker	UNP Q12306
I	-4	ALA	-	linker	UNP Q12306
I	-3	ALA	-	linker	UNP Q12306
I	-2	ASP	-	linker	UNP Q12306
I	-1	ILE	-	linker	UNP Q12306
I	0	GLY	-	linker	UNP Q12306
I	1	SER	-	linker	UNP Q12306
I	2	VAL	-	linker	UNP Q12306
J	-134	MET	-	initiating methionine	UNP Q12306
J	-133	GLY	-	expression tag	UNP Q12306
J	-132	HIS	-	expression tag	UNP Q12306
J	-131	HIS	-	expression tag	UNP Q12306
J	-130	HIS	-	expression tag	UNP Q12306
J	-129	HIS	-	expression tag	UNP Q12306
J	-128	HIS	-	expression tag	UNP Q12306
J	-127	HIS	-	expression tag	UNP Q12306
J	-126	HIS	-	expression tag	UNP Q12306
J	-125	HIS	-	expression tag	UNP Q12306
J	-124	GLY	-	expression tag	UNP Q12306
J	-123	SER	-	expression tag	UNP Q12306
J	-122	LEU	-	expression tag	UNP Q12306
J	-121	GLN	-	expression tag	UNP Q12306
J	-23	ALA	-	linker	UNP Q12306
J	-22	ALA	-	linker	UNP Q12306
J	-21	ASP	-	linker	UNP Q12306
J	-20	TYR	-	linker	UNP Q12306
J	-19	GLY	-	linker	UNP Q12306
J	-18	GLY	-	linker	UNP Q12306
J	-17	ASP	-	linker	UNP Q12306
J	-16	ILE	-	linker	UNP Q12306
J	-15	PRO	-	linker	UNP Q12306
J	-14	THR	-	linker	UNP Q12306
J	-13	THR	-	linker	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	-12	GLU	-	linker	UNP Q12306
J	-11	ASN	-	linker	UNP Q12306
J	-10	LEU	-	linker	UNP Q12306
J	-9	TYR	-	linker	UNP Q12306
J	-8	PHE	-	linker	UNP Q12306
J	-7	GLN	-	linker	UNP Q12306
J	-6	GLY	-	linker	UNP Q12306
J	-5	ALA	-	linker	UNP Q12306
J	-4	ALA	-	linker	UNP Q12306
J	-3	ALA	-	linker	UNP Q12306
J	-2	ASP	-	linker	UNP Q12306
J	-1	ILE	-	linker	UNP Q12306
J	0	GLY	-	linker	UNP Q12306
J	1	SER	-	linker	UNP Q12306
J	2	VAL	-	linker	UNP Q12306
K	-134	MET	-	initiating methionine	UNP Q12306
K	-133	GLY	-	expression tag	UNP Q12306
K	-132	HIS	-	expression tag	UNP Q12306
K	-131	HIS	-	expression tag	UNP Q12306
K	-130	HIS	-	expression tag	UNP Q12306
K	-129	HIS	-	expression tag	UNP Q12306
K	-128	HIS	-	expression tag	UNP Q12306
K	-127	HIS	-	expression tag	UNP Q12306
K	-126	HIS	-	expression tag	UNP Q12306
K	-125	HIS	-	expression tag	UNP Q12306
K	-124	GLY	-	expression tag	UNP Q12306
K	-123	SER	-	expression tag	UNP Q12306
K	-122	LEU	-	expression tag	UNP Q12306
K	-121	GLN	-	expression tag	UNP Q12306
K	-23	ALA	-	linker	UNP Q12306
K	-22	ALA	-	linker	UNP Q12306
K	-21	ASP	-	linker	UNP Q12306
K	-20	TYR	-	linker	UNP Q12306
K	-19	GLY	-	linker	UNP Q12306
K	-18	GLY	-	linker	UNP Q12306
K	-17	ASP	-	linker	UNP Q12306
K	-16	ILE	-	linker	UNP Q12306
K	-15	PRO	-	linker	UNP Q12306
K	-14	THR	-	linker	UNP Q12306
K	-13	THR	-	linker	UNP Q12306
K	-12	GLU	-	linker	UNP Q12306
K	-11	ASN	-	linker	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	-10	LEU	-	linker	UNP Q12306
K	-9	TYR	-	linker	UNP Q12306
K	-8	PHE	-	linker	UNP Q12306
K	-7	GLN	-	linker	UNP Q12306
K	-6	GLY	-	linker	UNP Q12306
K	-5	ALA	-	linker	UNP Q12306
K	-4	ALA	-	linker	UNP Q12306
K	-3	ALA	-	linker	UNP Q12306
K	-2	ASP	-	linker	UNP Q12306
K	-1	ILE	-	linker	UNP Q12306
K	0	GLY	-	linker	UNP Q12306
K	1	SER	-	linker	UNP Q12306
K	2	VAL	-	linker	UNP Q12306
L	-134	MET	-	initiating methionine	UNP Q12306
L	-133	GLY	-	expression tag	UNP Q12306
L	-132	HIS	-	expression tag	UNP Q12306
L	-131	HIS	-	expression tag	UNP Q12306
L	-130	HIS	-	expression tag	UNP Q12306
L	-129	HIS	-	expression tag	UNP Q12306
L	-128	HIS	-	expression tag	UNP Q12306
L	-127	HIS	-	expression tag	UNP Q12306
L	-126	HIS	-	expression tag	UNP Q12306
L	-125	HIS	-	expression tag	UNP Q12306
L	-124	GLY	-	expression tag	UNP Q12306
L	-123	SER	-	expression tag	UNP Q12306
L	-122	LEU	-	expression tag	UNP Q12306
L	-121	GLN	-	expression tag	UNP Q12306
L	-23	ALA	-	linker	UNP Q12306
L	-22	ALA	-	linker	UNP Q12306
L	-21	ASP	-	linker	UNP Q12306
L	-20	TYR	-	linker	UNP Q12306
L	-19	GLY	-	linker	UNP Q12306
L	-18	GLY	-	linker	UNP Q12306
L	-17	ASP	-	linker	UNP Q12306
L	-16	ILE	-	linker	UNP Q12306
L	-15	PRO	-	linker	UNP Q12306
L	-14	THR	-	linker	UNP Q12306
L	-13	THR	-	linker	UNP Q12306
L	-12	GLU	-	linker	UNP Q12306
L	-11	ASN	-	linker	UNP Q12306
L	-10	LEU	-	linker	UNP Q12306
L	-9	TYR	-	linker	UNP Q12306

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	-8	PHE	-	linker	UNP Q12306
L	-7	GLN	-	linker	UNP Q12306
L	-6	GLY	-	linker	UNP Q12306
L	-5	ALA	-	linker	UNP Q12306
L	-4	ALA	-	linker	UNP Q12306
L	-3	ALA	-	linker	UNP Q12306
L	-2	ASP	-	linker	UNP Q12306
L	-1	ILE	-	linker	UNP Q12306
L	0	GLY	-	linker	UNP Q12306
L	1	SER	-	linker	UNP Q12306
L	2	VAL	-	linker	UNP Q12306

- Molecule 4 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			49	39	1	8	1	
4	B	1	Total	C	N	O	P	0
			49	39	1	8	1	
4	B	1	Total	C	N	O	P	0
			49	39	1	8	1	
4	C	1	Total	C	N	O	P	0
			49	39	1	8	1	
4	D	1	Total	C	N	O	P	0
			49	39	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
4	D	1	Total	C	N	O	P	0
			49	39	1	8	1	
4	E	1	Total	C	N	O	P	0
			49	39	1	8	1	

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tol-Pal system protein TolQ

Chain A:



• Molecule 1: Tol-Pal system protein TolQ

Chain B:



• Molecule 1: Tol-Pal system protein TolQ

Chain C:



• Molecule 1: Tol-Pal system protein TolQ

Chain D:



• Molecule 1: Tol-Pal system protein TolQ

Chain E:



• Molecule 2: Tol-Pal system protein TolR

Chain F:



• Molecule 2: Tol-Pal system protein TolR

Chain G:



• Molecule 3: Ubiquitin-like protein SMT3,Tol-Pal system protein TolA

Chain H:






THR THR GLU ASN LEU TYR PHE GLN GLY ALA ALA ALA ASP ILE GLY SER VAL SER LYS ALA THR GLU
Q8 N9 D10 K11 A15 I18 V21 L22 H23 V24 I25 A28 A29 L30 I31 W32 S33 S34 F35
ASP GLU ASN ILE GLU GLU ALA SER ALA GLY GLY GLY GLY SER SER
ILE ASP ALA VAL MET VAL ASP SER GLY ALA VAL VAL GLU GLN TYR LYS ARG MET GLN SER GLN GLU SER SER ALA SER ASP GLU GLN ARG LYS MET LYS GLU GLN GLN ALA ALA GLU GLU LEU ARG GLU ARG GLN GLU GLN GLU ARG LEU LYS GLN LEU GLU LYS GLU
ARG LEU ALA ALA GLN GLU GLN LYS LYS GLN GLU ALA GLU LEU LYS GLN GLU GLU ALA ALA ALA LYS GLN ALA GLU ALA ALA ALA LYS ALA ALA ALA

• Molecule 3: Ubiquitin-like protein SMT3,Tol-Pal system protein TolA

Chain J:


5%
95%
MET GLY HIS HIS HIS HIS HIS HIS GLY SER LEU GLN ASP SER GLU VAL ASN GLN GLU ALA LYS PRO GLU VAL LYS PRO GLU VAL LYS PRO GLU THR HIS ILE ASN LEU LYS VAL SER ASP GLY SER SER GLU ILE PHE PHE LYS ILE LYS LYS THR THR PRO LEU ARG ARG LEU
MET GLU ALA PHE ALA LYS ARG GLN GLY LYS GLU MET ASP SER LEU ARG PHE LEU TYR ASP GLY ILE ARG ILE GLN ALA ASP GLN THR PRO GLU ASP LEU ASP MET GLU ASP ASN ASP ILE ILE GLU ALA HIS ARG GLU GLN ILE GLY GLY ALA ALA ALA ASP TYR GLY GLY ASP ILE PRO
THR THR GLU ASN LEU TYR PHE GLN GLY ALA ALA ASP ILE GLY SER VAL SER LYS ALA THR GLU Q8 N9 D10 K11 V21 L22 H23 V24 I25 A28 A29 L30 I31 S34 F35 D36 GLU ASN ILE GLU ALA SER ALA GLY GLY GLY GLY SER SER ILE ASP ALA VAL MET
VAL ASP SER GLY ALA VAL VAL GLU GLU GLN TYR LYS LYS ARG MET GLN SER GLN GLU SER SER ALA LYS ARG SER ASP GLU GLN LYS MET LYS GLU GLN GLN ARG LYS MET LYS GLU GLN GLN ALA ALA GLU GLU LEU ARG GLU LYS GLN GLU GLN ILE ALA ALA ASP ALA LYS ALA GLN
GLU GLN LYS LYS GLN ALA GLU LEU LYS GLN LYS GLN ALA GLU GLU ALA LYS ALA ALA ALA



• Molecule 3: Ubiquitin-like protein SMT3,Tol-Pal system protein TolA

Chain L: 5% 95%



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	470510	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.099	Depositor
Minimum map value	-0.730	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	268.8, 268.8, 268.8	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.16	0/1761	0.35	0/2381
1	B	0.15	0/1786	0.34	0/2415
1	C	0.15	0/1741	0.37	0/2354
1	D	0.19	0/1742	0.36	0/2355
1	E	0.14	0/1772	0.32	0/2395
2	F	0.23	0/180	0.57	0/245
2	G	0.13	0/193	0.42	0/264
3	H	0.06	0/218	0.15	0/297
3	I	0.12	0/241	0.29	0/326
3	J	0.05	0/202	0.15	0/277
3	K	0.06	0/233	0.13	0/318
3	L	0.08	0/223	0.14	0/303
All	All	0.15	0/10292	0.34	0/13930

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1727	0	1747	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1752	0	1781	39	0
1	C	1708	0	1725	40	0
1	D	1708	0	1735	30	0
1	E	1738	0	1765	26	0
2	F	179	0	207	9	0
2	G	191	0	219	5	0
3	H	214	0	221	3	0
3	I	237	0	249	5	0
3	J	200	0	201	2	0
3	K	230	0	228	3	0
3	L	220	0	229	0	0
4	A	49	0	75	3	0
4	B	98	0	150	8	0
4	C	49	0	75	5	0
4	D	98	0	150	4	0
4	E	49	0	75	7	0
All	All	10447	0	10832	181	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 181 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:112:MET:HE1	1:D:210:MET:HA	1.69	0.75
1:B:93:LEU:HD23	1:B:104:VAL:HA	1.68	0.74
1:B:190:MET:HB3	4:B:301:3PE:H231	1.70	0.74
1:C:43:ASN:OD1	1:C:198:ARG:NH2	2.24	0.69
1:C:93:LEU:HD12	1:C:104:VAL:HA	1.75	0.69

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	218/232 (94%)	211 (97%)	6 (3%)	1 (0%)	24 57
1	B	221/232 (95%)	210 (95%)	11 (5%)	0	100 100
1	C	217/232 (94%)	209 (96%)	7 (3%)	1 (0%)	24 57
1	D	216/232 (93%)	206 (95%)	10 (5%)	0	100 100
1	E	219/232 (94%)	212 (97%)	7 (3%)	0	100 100
2	F	21/142 (15%)	18 (86%)	3 (14%)	0	100 100
2	G	23/142 (16%)	21 (91%)	2 (9%)	0	100 100
3	H	26/557 (5%)	26 (100%)	0	0	100 100
3	I	28/557 (5%)	28 (100%)	0	0	100 100
3	J	27/557 (5%)	27 (100%)	0	0	100 100
3	K	29/557 (5%)	29 (100%)	0	0	100 100
3	L	27/557 (5%)	27 (100%)	0	0	100 100
All	All	1272/4229 (30%)	1224 (96%)	46 (4%)	2 (0%)	44 72

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	73	ARG
1	C	73	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	177/188 (94%)	176 (99%)	1 (1%)	78 82
1	B	181/188 (96%)	181 (100%)	0	100 100
1	C	173/188 (92%)	173 (100%)	0	100 100
1	D	174/188 (93%)	172 (99%)	2 (1%)	65 77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	E	179/188 (95%)	179 (100%)	0	100 100
2	F	22/123 (18%)	22 (100%)	0	100 100
2	G	23/123 (19%)	22 (96%)	1 (4%)	26 56
3	H	22/384 (6%)	22 (100%)	0	100 100
3	I	25/384 (6%)	25 (100%)	0	100 100
3	J	18/384 (5%)	18 (100%)	0	100 100
3	K	23/384 (6%)	23 (100%)	0	100 100
3	L	23/384 (6%)	23 (100%)	0	100 100
All	All	1040/3106 (34%)	1036 (100%)	4 (0%)	81 85

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LYS
1	D	178	THR
1	D	208	ASN
2	G	22	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	70	GLN
1	D	208	ASN
1	E	117	ASN
1	C	67	GLN
1	C	70	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	3PE	A	301	-	48,48,50	1.30	4 (8%)	51,53,55	0.87	2 (3%)
4	3PE	B	301	-	48,48,50	1.31	4 (8%)	51,53,55	0.93	2 (3%)
4	3PE	B	302	-	48,48,50	1.31	4 (8%)	51,53,55	0.94	2 (3%)
4	3PE	D	302	-	48,48,50	1.30	4 (8%)	51,53,55	0.92	2 (3%)
4	3PE	E	301	-	48,48,50	1.31	4 (8%)	51,53,55	0.94	2 (3%)
4	3PE	D	301	-	48,48,50	1.31	4 (8%)	51,53,55	0.95	2 (3%)
4	3PE	C	301	-	48,48,50	1.31	4 (8%)	51,53,55	0.97	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	3PE	A	301	-	-	25/52/52/54	-
4	3PE	B	301	-	-	29/52/52/54	-
4	3PE	B	302	-	-	27/52/52/54	-
4	3PE	D	302	-	-	32/52/52/54	-
4	3PE	E	301	-	-	30/52/52/54	-
4	3PE	D	301	-	-	29/52/52/54	-
4	3PE	C	301	-	-	32/52/52/54	-

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	302	3PE	O21-C21	3.53	1.44	1.34
4	B	301	3PE	O21-C21	3.45	1.44	1.34
4	C	301	3PE	O21-C21	3.45	1.44	1.34
4	D	302	3PE	O21-C21	3.45	1.44	1.34
4	D	301	3PE	O21-C21	3.44	1.44	1.34

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	C	301	3PE	O21-C21-C22	4.15	120.46	111.48
4	B	302	3PE	O21-C21-C22	4.12	120.39	111.48
4	B	301	3PE	O21-C21-C22	4.05	120.23	111.48
4	D	301	3PE	O21-C21-C22	4.01	120.15	111.48
4	E	301	3PE	O21-C21-C22	3.89	119.91	111.48

There are no chirality outliers.

5 of 204 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	301	3PE	C11-O13-P-O11
4	A	301	3PE	C11-O13-P-O12
4	A	301	3PE	C11-O13-P-O14
4	A	301	3PE	O13-C11-C12-N
4	B	301	3PE	C11-O13-P-O11

There are no ring outliers.

7 monomers are involved in 26 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	301	3PE	3	0
4	B	301	3PE	5	0
4	B	302	3PE	3	0
4	D	302	3PE	3	0
4	E	301	3PE	7	0
4	D	301	3PE	1	0
4	C	301	3PE	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 3PE A 301



Ligand 3PE B 301



Ligand 3PE B 302



Ligand 3PE D 302



Ligand 3PE E 301



Ligand 3PE D 301



Ligand 3PE C 301



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-62492. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 160



Y Index: 160



Z Index: 160

6.2.2 Raw map



X Index: 160



Y Index: 160



Z Index: 160

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 173



Y Index: 140



Z Index: 170

6.3.2 Raw map



X Index: 173



Y Index: 171



Z Index: 158

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



X



Y



Z

6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map

X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency

A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure

6.6.1 emd_62492_msk_1.map



X



Y



Z

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 91 nm^3; this corresponds to an approximate mass of 82 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.314 $Å^{-1}$

8 Fourier-Shell correlation

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC



*Reported resolution corresponds to spatial frequency of 0.314 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.18	-	-
Author-provided FSC curve	3.18	3.84	3.22
Unmasked-calculated*	3.82	6.37	3.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.82 differs from the reported value 3.18 by more than 10 %

9 Map-model fit

This section contains information regarding the fit between EMDB map EMD-62492 and PDB model 9KPZ. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion (i)



At the recommended contour level, 85% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8050	0.4660
A	0.8040	0.4650
B	0.8260	0.4730
C	0.8470	0.4820
D	0.7940	0.4550
E	0.8570	0.4980
F	0.8490	0.5190
G	0.8380	0.5220
H	0.4320	0.2950
I	0.7090	0.3930
J	0.5630	0.3700
K	0.6070	0.3420
L	0.8170	0.4600