



## Full wwPDB EM Validation Report ⓘ

Apr 15, 2026 – 02:13 PM EDT

PDB ID : 9OXA / pdb\_00009oxa  
EMDB ID : EMD-70964  
Title : CryoEM structure of Gi-coupled TAS2R43 with aristolochic acid I  
Authors : Kim, Y.; Gumpfer, R.H.; Roth, B.L.  
Deposited on : 2025-06-03  
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13054 ( 2.40 - 3.40 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	R	645	
2	B	402	
3	C	71	
4	A	354	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
5	D	267	 A horizontal bar chart showing the quality of chain D. The bar is divided into three segments: a green segment representing 76%, a yellow segment representing 11%, and a grey segment representing 13%. A small red dot is visible at the beginning of the bar.

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8645 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Soluble cytochrome b562,Taste receptor type 2 member 43.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	R	284	Total	C	N	O	S	0	0
			2244	1511	360	359	14		

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-150	ASP	-	expression tag	UNP P0ABE7
R	-149	TYR	-	expression tag	UNP P0ABE7
R	-148	LYS	-	expression tag	UNP P0ABE7
R	-147	ASP	-	expression tag	UNP P0ABE7
R	-146	ASP	-	expression tag	UNP P0ABE7
R	-145	ASP	-	expression tag	UNP P0ABE7
R	-144	ASP	-	expression tag	UNP P0ABE7
R	-143	ALA	-	expression tag	UNP P0ABE7
R	-142	LYS	-	expression tag	UNP P0ABE7
R	-141	LEU	-	expression tag	UNP P0ABE7
R	-140	GLN	-	expression tag	UNP P0ABE7
R	-139	THR	-	expression tag	UNP P0ABE7
R	-138	MET	-	expression tag	UNP P0ABE7
R	-137	HIS	-	expression tag	UNP P0ABE7
R	-136	HIS	-	expression tag	UNP P0ABE7
R	-135	HIS	-	expression tag	UNP P0ABE7
R	-134	HIS	-	expression tag	UNP P0ABE7
R	-133	HIS	-	expression tag	UNP P0ABE7
R	-132	HIS	-	expression tag	UNP P0ABE7
R	-131	HIS	-	expression tag	UNP P0ABE7
R	-130	HIS	-	expression tag	UNP P0ABE7
R	-129	HIS	-	expression tag	UNP P0ABE7
R	-128	HIS	-	expression tag	UNP P0ABE7
R	-127	GLU	-	expression tag	UNP P0ABE7
R	-126	ASN	-	expression tag	UNP P0ABE7
R	-125	LEU	-	expression tag	UNP P0ABE7
R	-124	TYR	-	expression tag	UNP P0ABE7
R	-123	PHE	-	expression tag	UNP P0ABE7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	-122	GLN	-	expression tag	UNP P0ABE7
R	-121	GLY	-	expression tag	UNP P0ABE7
R	-120	GLY	-	expression tag	UNP P0ABE7
R	-119	THR	-	expression tag	UNP P0ABE7
R	-118	THR	-	expression tag	UNP P0ABE7
R	-117	MET	-	expression tag	UNP P0ABE7
R	-110	TRP	MET	conflict	UNP P0ABE7
R	-15	ILE	HIS	conflict	UNP P0ABE7
R	-11	LEU	-	linker	UNP P0ABE7
R	-10	GLY	-	linker	UNP P0ABE7
R	-9	SER	-	linker	UNP P0ABE7
R	-8	THR	-	linker	UNP P0ABE7
R	-7	LEU	-	linker	UNP P0ABE7
R	-6	GLU	-	linker	UNP P0ABE7
R	-5	VAL	-	linker	UNP P0ABE7
R	-4	LEU	-	linker	UNP P0ABE7
R	-3	PHE	-	linker	UNP P0ABE7
R	-2	GLN	-	linker	UNP P0ABE7
R	-1	GLY	-	linker	UNP P0ABE7
R	0	PRO	-	linker	UNP P0ABE7

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	335	Total	C	N	O	S	0	0
			2537	1569	452	495	21		

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	MET	-	expression tag	UNP P62873
B	-16	HIS	-	expression tag	UNP P62873
B	-15	HIS	-	expression tag	UNP P62873
B	-14	HIS	-	expression tag	UNP P62873
B	-13	HIS	-	expression tag	UNP P62873
B	-12	HIS	-	expression tag	UNP P62873
B	-11	HIS	-	expression tag	UNP P62873
B	-10	LEU	-	expression tag	UNP P62873
B	-9	GLU	-	expression tag	UNP P62873
B	-8	VAL	-	expression tag	UNP P62873
B	-7	LEU	-	expression tag	UNP P62873

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	PHE	-	expression tag	UNP P62873
B	-5	GLN	-	expression tag	UNP P62873
B	-4	GLY	-	expression tag	UNP P62873
B	-3	PRO	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873
B	341	GLY	-	expression tag	UNP P62873
B	342	GLY	-	expression tag	UNP P62873
B	343	SER	-	expression tag	UNP P62873
B	344	GLY	-	expression tag	UNP P62873
B	345	GLY	-	expression tag	UNP P62873
B	346	GLY	-	expression tag	UNP P62873
B	347	GLY	-	expression tag	UNP P62873
B	348	SER	-	expression tag	UNP P62873
B	349	GLY	-	expression tag	UNP P62873
B	350	GLY	-	expression tag	UNP P62873
B	351	SER	-	expression tag	UNP P62873
B	352	SER	-	expression tag	UNP P62873
B	353	SER	-	expression tag	UNP P62873
B	354	GLY	-	expression tag	UNP P62873
B	355	GLY	-	expression tag	UNP P62873
B	356	GLY	-	expression tag	UNP P62873
B	357	GLY	-	expression tag	UNP P62873
B	358	SER	-	expression tag	UNP P62873
B	359	GLY	-	expression tag	UNP P62873
B	360	GLY	-	expression tag	UNP P62873
B	361	GLY	-	expression tag	UNP P62873
B	362	GLY	-	expression tag	UNP P62873
B	363	SER	-	expression tag	UNP P62873
B	364	GLY	-	expression tag	UNP P62873
B	365	GLY	-	expression tag	UNP P62873
B	366	SER	-	expression tag	UNP P62873
B	367	SER	-	expression tag	UNP P62873
B	368	SER	-	expression tag	UNP P62873
B	369	GLY	-	expression tag	UNP P62873
B	370	GLY	-	expression tag	UNP P62873
B	371	VAL	-	expression tag	UNP P62873
B	372	SER	-	expression tag	UNP P62873
B	373	GLY	-	expression tag	UNP P62873
B	374	TRP	-	expression tag	UNP P62873

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	375	ARG	-	expression tag	UNP P62873
B	376	LEU	-	expression tag	UNP P62873
B	377	PHE	-	expression tag	UNP P62873
B	378	LYS	-	expression tag	UNP P62873
B	379	LYS	-	expression tag	UNP P62873
B	380	ILE	-	expression tag	UNP P62873
B	381	SER	-	expression tag	UNP P62873
B	382	GLY	-	expression tag	UNP P62873
B	383	GLY	-	expression tag	UNP P62873
B	384	SER	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	53	Total	C	N	O	S	0	0
			382	242	65	72	3		

- Molecule 4 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	218	Total	C	N	O	S	0	0
			1713	1097	288	315	13		


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	ASN	SER	engineered mutation	UNP P63096
A	203	ALA	GLY	engineered mutation	UNP P63096
A	245	ALA	GLU	engineered mutation	UNP P63096
A	326	SER	ALA	engineered mutation	UNP P63096

- Molecule 5 is a protein called scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	232	Total	C	N	O	S	0	0
			1737	1109	290	328	10		

- Molecule 6 is 8-methoxy-6-nitro-naphtho[1,2-e][1,3]benzodioxole-5-carboxylic acid (CCD ID: GOQ) (formula: C<sub>17</sub>H<sub>11</sub>NO<sub>7</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
6	R	1	Total	C	N	O	0
			25	17	1	7	


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		AltConf
7	R	7	Total	O	0
			7	7	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Soluble cytochrome b562, Taste receptor type 2 member 43




- Molecule 2: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1



GLY  
GLY  
SER  
SER  
SER  
GLY  
GLY  
VAL  
SER  
GLY  
TRP  
ARG  
LEU  
PHE  
LYS  
LYS  
ILE  
SER  
GLY  
GLY  
SER

- Molecule 3: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2

Chain C: 

MET  
ALA  
CYS  
ASN  
ASN  
THR  
ALA  
SER  
ILE  
A10  
Q11  
A12  
R13  
K14  
L15  
K20  
M21  
M24  
R27  
K62  
GLU  
LYS  
LYS  
PHE  
PHE  
CYS  
ALA  
ILE  
LEU

- Molecule 4: Guanine nucleotide-binding protein G(i) subunit alpha-1

Chain A: 


MET  
GLY  
CYS  
THR  
L5  
I19  
G27  
K35  
A41  
G42  
E43  
S44  
M47  
T48  
K51  
Q52  
M53  
K54  
ILE  
ILE  
HIS  
GLU  
ALA  
ALA  
TYR  
SER  
GLU  
GLU  
GLU  
CYS  
LYS  
GLN  
TYR  
LYS  
LYS  
ALA  
VAL  
VAL  
TYR  
SER  
ASN  
THR  
ILE  
GLN  
SER  
ILE  
ILE  
ALA  
ILE  
ILE  
ARG  
ALA  
MET  
GLY  
ARG

LEU  
LYS  
ILE  
ASP  
PHE  
GLY  
ASP  
SER  
ALA  
ALA  
ASP  
ASP  
ALA  
ALA  
Gln  
ARG  
ASN  
LEU  
PHE  
VAL  
LEU  
ALA  
GLY  
ASP  
ALA  
GLU  
GLU  
GLU  
PHE  
MET  
THR  
LYS  
ALA  
GLU  
LEU  
ALA  
GLY  
VAL  
ILE  
LYS  
ARG  
D229  
TRP  
LYS  
ASP  
SER  
GLY  
VAL  
GLN  
ALA  
CYS  
PHE  
ASN  
ARG  
SER  
ARG  
GLU  
TYR  
Gln  
LEU  
ASN  
ASP

SER  
ALA  
ALA  
TYR  
TYR  
LEU  
ASN  
ASP  
ASP  
LEU  
ASP  
ARG  
ILE  
ALA  
Gln  
PRO  
TYR  
TYR  
PRO  
THR  
Gln  
ASP  
VAL  
LEU  
ARG  
THR  
VAL  
LYS  
THR  
T182  
G183  
I184  
V218  
S228  
D229  
Y230  
L234  
ALA  
GLU  
ASP  
GLU  
M240  
M243  
E276  
K277  
I278  
K279  
K280  
S281  
T284  
I285

A291  
R294  
T295  
Q304  
R313  
T316  
T321  
C325  
S326  
T327  
D328  
T329  
V332  
D341  
K345  
K349  
F354

- Molecule 5: scFv16

Chain D: 

ASP  
V2  
E6  
C22  
F27  
A40  
K43  
V64  
F68  
S88  
T91  
S99  
Y102  
P107  
T118  
V119  
S120  
S121  
GLY  
GLY  
GLY  
GLY  
SER  
GLY  
GLY  
GLY  
SER  
GLY  
GLY  
GLY  
S124  
V137  
T138  
V143  
L162  
Y163  
W164  
Q167  
P173  
Q174

L175  
L176  
Y177  
Y178  
F200  
Q219  
Y223  
P224  
L225  
T226  
L233  
E234  
L235  
ALA  
ALA  
ALA  
LEU  
VAL  
GLU  
PHE  
GLN  
GLY  
PRO  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS  
HIS

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	583017	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	5000	Depositor
Maximum defocus (nm)	20000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.672	Depositor
Minimum map value	-2.159	Depositor
Average map value	0.024	Depositor
Map value standard deviation	0.105	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	252.288, 252.288, 252.288	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.876, 0.876, 0.876	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	R	0.16	0/2304	0.33	0/3136
2	B	0.15	0/2584	0.34	0/3510
3	C	0.11	0/388	0.23	0/528
4	A	0.13	0/1742	0.27	0/2342
5	D	0.14	0/1781	0.30	0/2421
All	All	0.14	0/8799	0.31	0/11937

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	R	2244	0	2323	10	0
2	B	2537	0	2420	21	0
3	C	382	0	373	1	0
4	A	1713	0	1688	11	0
5	D	1737	0	1651	16	0
6	R	25	0	0	0	0
7	R	7	0	0	0	0
All	All	8645	0	8455	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:D:175:LEU:HD21	5:D:178:TYR:HB3	1.73	0.69
4:A:304:GLN:HG3	4:A:321:THR:HG21	1.81	0.63
5:D:40:ALA:HB3	5:D:43:LYS:HB2	1.81	0.62
4:A:53:MET:HG3	4:A:332:VAL:HG22	1.83	0.60
2:B:162:GLY:HA2	2:B:186:ASP:HB2	1.89	0.54
2:B:89:LYS:HB2	4:A:19:ILE:HD11	1.88	0.54
2:B:30:LEU:HD22	2:B:262:MET:HE1	1.90	0.53
1:R:144:LEU:HD23	1:R:147:ILE:HD11	1.90	0.53
5:D:2:VAL:HG12	5:D:27:PHE:HB3	1.92	0.52
5:D:164:TRP:HD1	5:D:177:ILE:HD11	1.75	0.52
1:R:99:ALA:HB1	1:R:234:PHE:HZ	1.74	0.52
2:B:320:VAL:HG22	2:B:327:VAL:HG22	1.92	0.52
2:B:90:VAL:HG13	5:D:102:TYR:HB2	1.93	0.51
2:B:18:ILE:HG23	3:C:27:ARG:HH22	1.76	0.51
2:B:166:CYS:HB2	2:B:180:PHE:HB2	1.93	0.50
5:D:137:VAL:HG12	5:D:143:VAL:HG21	1.93	0.50
1:R:264:CYS:HA	1:R:267:ILE:HG22	1.94	0.49
2:B:112:VAL:HG13	2:B:126:LEU:HD11	1.95	0.49
5:D:162:LEU:HD22	5:D:200:PHE:CG	2.47	0.49
5:D:99:SER:HB2	5:D:107:PRO:HB3	1.94	0.49
5:D:137:VAL:HG11	5:D:233:LEU:HD13	1.94	0.48
5:D:88:SER:HA	5:D:119:VAL:HG21	1.97	0.47
5:D:219:GLN:HE21	5:D:226:THR:H	1.63	0.47
2:B:192:LEU:HD23	2:B:199:PHE:HB3	1.96	0.47
5:D:91:THR:HG23	5:D:118:THR:HA	1.97	0.46
2:B:187:VAL:HG12	2:B:203:ALA:HB2	1.96	0.46
2:B:55:LEU:HD13	4:A:27:GLY:HA3	1.98	0.46
1:R:242:PHE:HD2	1:R:243:LEU:HD22	1.80	0.46
2:B:79:LEU:HB2	2:B:95:LEU:HD21	1.97	0.46
2:B:95:LEU:HD13	2:B:100:VAL:HG11	1.98	0.45
1:R:216:SER:HA	1:R:221:THR:HG21	1.99	0.45
2:B:99:TRP:CD1	4:A:184:ILE:HD11	2.52	0.44
1:R:109:LYS:HE3	1:R:109:LYS:HB2	1.69	0.44
2:B:185:GLY:H	2:B:205:ASP:HB3	1.83	0.43
2:B:39:PRO:HB3	2:B:301:LYS:HE2	1.99	0.43
4:A:313:ARG:HB3	4:A:316:THR:HG22	1.99	0.43
5:D:6:GLU:HA	5:D:22:CYS:HA	2.01	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:35:LYS:HB3	4:A:218:VAL:HG23	2.01	0.42
2:B:187:VAL:HA	2:B:203:ALA:HA	2.01	0.42
1:R:44:ALA:HB2	1:R:105:PHE:HE2	1.84	0.42
2:B:79:LEU:HB3	2:B:93:ILE:HB	2.01	0.42
4:A:35:LYS:HE2	4:A:35:LYS:HB2	1.89	0.42
4:A:345:LYS:O	4:A:349:LYS:HG2	2.20	0.42
5:D:167:GLN:HB2	5:D:173:PRO:HB3	2.02	0.41
1:R:38:ARG:HA	1:R:38:ARG:HD2	1.92	0.41
4:A:230:TYR:HA	4:A:243:MET:HB2	2.02	0.41
1:R:148:ASN:O	1:R:152:ILE:HG12	2.21	0.41
5:D:64:VAL:HB	5:D:68:PHE:CG	2.56	0.40
2:B:158:VAL:HG11	2:B:192:LEU:HD21	2.03	0.40
2:B:191:SER:HB2	2:B:232:ILE:HG23	2.04	0.40
2:B:279:SER:HB2	2:B:284:LEU:HB2	2.02	0.40
5:D:223:TYR:CD2	5:D:225:LEU:HD13	2.56	0.40
1:R:181:MET:HG3	1:R:246:MET:SD	2.61	0.40
4:A:341:ASP:O	4:A:345:LYS:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	R	280/645 (43%)	277 (99%)	3 (1%)	0	100	100
2	B	333/402 (83%)	314 (94%)	19 (6%)	0	100	100
3	C	51/71 (72%)	51 (100%)	0	0	100	100
4	A	212/354 (60%)	206 (97%)	6 (3%)	0	100	100
5	D	228/267 (85%)	225 (99%)	3 (1%)	0	100	100
All	All	1104/1739 (64%)	1073 (97%)	31 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	R	246/556 (44%)	245 (100%)	1 (0%)	84	94
2	B	270/319 (85%)	270 (100%)	0	100	100
3	C	37/58 (64%)	37 (100%)	0	100	100
4	A	182/305 (60%)	182 (100%)	0	100	100
5	D	183/216 (85%)	183 (100%)	0	100	100
All	All	918/1454 (63%)	917 (100%)	1 (0%)	87	97

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	R	109	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	R	112	ASN
1	R	210	GLN
1	R	283	ASN
2	B	295	ASN
4	A	22	ASN
4	A	244	HIS
4	A	269	ASN
4	A	333	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	GOQ	R	501	-	28,28,28	0.96	2 (7%)	30,42,42	1.74	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOQ	R	501	-	-	6/8/16/16	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	R	501	GOQ	O2-N	-2.13	1.21	1.35
6	R	501	GOQ	O6-C16	-2.00	1.24	1.30

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	501	GOQ	C8-C7-C6	-5.31	115.06	118.69
6	R	501	GOQ	C1-C10-C5	4.16	121.53	118.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	R	501	GOQ	C12-C11-C16	-3.14	112.37	117.67
6	R	501	GOQ	O5-C16-C11	-2.86	114.89	122.31
6	R	501	GOQ	O6-C16-O5	2.26	128.22	123.35

There are no chirality outliers.


All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	R	501	GOQ	C7-C8-N-O1
6	R	501	GOQ	C9-C8-N-O1
6	R	501	GOQ	C12-C11-C16-O5
6	R	501	GOQ	C7-C11-C16-O5
6	R	501	GOQ	C7-C11-C16-O6
6	R	501	GOQ	C12-C11-C16-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-70964. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


### 6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 141




Y Index: 152




Z Index: 179


### 6.3.2 Raw map



X Index: 141



Y Index: 165




Z Index: 179


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 47  $\text{nm}^3$ ; this corresponds to an approximate mass of 43 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.345 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.345  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.22	3.89	3.32

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.22 differs from the reported value 2.9 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-70964 and PDB model 9OXA. Per-residue inclusion information can be found in [section 3](#) on [page 9](#).


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

## 9.4 Atom inclusion ⓘ



At the recommended contour level, 83% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.8250	<div></div> 0.5640
A	<div></div> 0.7730	<div></div> 0.5480
B	<div></div> 0.9030	<div></div> 0.6170
C	<div></div> 0.6830	<div></div> 0.5340
D	<div></div> 0.8860	<div></div> 0.6030
R	<div></div> 0.7670	<div></div> 0.4910

