



wwPDB EM Validation Summary Report ⓘ

Apr 5, 2026 – 03:14 PM UTC

PDB ID : 9PR4 / pdb_00009pr4
EMDB ID : EMD-71797
Title : In Situ Structure of the Human Mitochondrial Large Subunit 39S in Complex with TACO1
Authors : Wang, S.; Xiong, Y.; Zhang, Y.
Deposited on : 2025-07-23
Resolution : 2.77 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10695 (2.27 - 3.27)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	188	<div><div></div><div>58%</div><div>41%</div></div>
2	1	65	<div><div>5%</div><div>78%</div><div>8%</div><div>14%</div></div>
3	2	92	<div><div>50%</div><div>50%</div></div>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	188	
5	4	103	
6	5	423	
7	6	380	
8	7	338	
9	8	206	
10	9	137	
11	C	297	
12	D	305	
13	E	348	
14	F	311	
15	G	198	
15	t	198	
15	u	198	
15	v	198	
15	w	198	
15	x	198	
15	y	198	
16	H	267	
17	I	261	
18	J	192	
19	K	178	
20	L	145	
21	M	296	
22	N	251	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
23	O	175	
24	P	180	
25	Q	292	
26	R	149	
27	S	205	
28	T	206	
29	U	153	
30	V	216	
31	W	148	
32	X	256	
33	Y	250	
34	Z	161	
35	b	215	
36	d	306	
37	e	279	
38	g	166	
39	h	158	
40	i	128	
41	j	123	
42	k	112	
43	l	138	
44	m	128	
45	n	43	
46	o	102	
47	q	222	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
48	r	196	
49	z	325	
50	A	1558	
51	c	332	
52	f	212	
53	p	206	
54	s	439	
55	OX	435	
56	a	142	
57	B	72	

2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 111602 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 39S ribosomal protein L32, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	110	Total	C	N	O	S	0	0
			898	554	176	162	6		

- Molecule 2 is a protein called 39S ribosomal protein L33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	56	Total	C	N	O	S	0	0
			464	296	89	77	2		

- Molecule 3 is a protein called 39S ribosomal protein L34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	46	Total	C	N	O	S	0	0
			377	233	83	60	1		

- Molecule 4 is a protein called 39S ribosomal protein L35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	95	Total	C	N	O	S	0	0
			832	539	162	128	3		

- Molecule 5 is a protein called 39S ribosomal protein L36, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	38	Total	C	N	O	S	0	0
			342	217	72	49	4		

- Molecule 6 is a protein called 39S ribosomal protein L37, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	5	394	Total	C	N	O	S	0	0
			3210	2073	560	566	11		

- Molecule 7 is a protein called 39S ribosomal protein L38, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	6	354	Total	C	N	O	S	0	0
			2948	1881	525	533	9		

- Molecule 8 is a protein called 39S ribosomal protein L39, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	7	294	Total	C	N	O	S	0	0
			2390	1529	405	438	18		

- Molecule 9 is a protein called 39S ribosomal protein L40, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	8	139	Total	C	N	O	S	0	0
			1179	752	207	218	2		

- Molecule 10 is a protein called 39S ribosomal protein L41, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	9	124	Total	C	N	O	S	0	0
			997	644	170	181	2		

- Molecule 11 is a protein called Translational activator of cytochrome c oxidase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	C	166	Total	C	N	O	S	0	0
			1286	796	226	258	6		

- Molecule 12 is a protein called 39S ribosomal protein L2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	D	238	Total	C	N	O	S	0	0
			1859	1157	376	317	9		

- Molecule 13 is a protein called 39S ribosomal protein L3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	E	305	Total	C	N	O	S	0	0
			2406	1545	418	432	11		

- Molecule 14 is a protein called 39S ribosomal protein L4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	F	252	Total	C	N	O	S	0	0
			2031	1305	370	350	6		

- Molecule 15 is a protein called 39S ribosomal protein L12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	G	72	Total	C	N	O		0	0
			558	358	97	103			
15	t	46	Total	C	N	O		0	0
			354	228	56	70			
15	u	32	Total	C	N	O		0	0
			257	168	40	49			
15	v	32	Total	C	N	O		0	0
			257	168	40	49			
15	w	31	Total	C	N	O		0	0
			245	159	39	47			
15	x	31	Total	C	N	O		0	0
			245	159	39	47			
15	y	31	Total	C	N	O		0	0
			245	159	39	47			

- Molecule 16 is a protein called 39S ribosomal protein L9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	H	202	Total	C	N	O	S	0	0
			1661	1067	304	286	4		

- Molecule 17 is a protein called 39S ribosomal protein L10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	I	212	Total	C	N	O	S	0	0
			1695	1088	304	292	11		

- Molecule 18 is a protein called 39S ribosomal protein L11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	J	175	Total	C	N	O	S	0	0
			1330	847	237	244	2		

- Molecule 19 is a protein called Large ribosomal subunit protein uL13m.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	K	178	Total	C	N	O	S	0	0
			1455	936	259	253	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	ACE	-	acetylation	UNP H2QWN0
K	132	TYR	ASP	conflict	UNP H2QWN0

- Molecule 20 is a protein called 39S ribosomal protein L14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L	115	Total	C	N	O	S	0	0
			890	559	171	155	5		

- Molecule 21 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	M	291	Total	C	N	O	S	0	0
			2327	1483	430	408	6		

- Molecule 22 is a protein called 39S ribosomal protein L16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	N	222	Total	C	N	O	S	0	0
			1786	1143	326	307	10		

- Molecule 23 is a protein called 39S ribosomal protein L17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	O	154	Total	C	N	O	S	0	0
			1259	792	241	219	7		

- Molecule 24 is a protein called 39S ribosomal protein L18, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	P	144	Total	C	N	O	S	0	0
			1173	733	224	211	5		

- Molecule 25 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Q	220	Total	C	N	O	S	0	0
			1834	1174	326	325	9		

- Molecule 26 is a protein called 39S ribosomal protein L20, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	R	140	Total	C	N	O	S	0	0
			1154	732	231	187	4		

- Molecule 27 is a protein called 39S ribosomal protein L21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	S	161	Total	C	N	O	S	0	0
			1293	835	227	227	4		

- Molecule 28 is a protein called 39S ribosomal protein L22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	T	166	Total	C	N	O	S	0	0
			1369	875	254	233	7		

- Molecule 29 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	U	152	Total	C	N	O	S	0	0
			1248	786	234	225	3		

- Molecule 30 is a protein called 39S ribosomal protein L24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	V	205	Total	C	N	O	S	0	0
			1676	1068	298	302	8		

- Molecule 31 is a protein called 39S ribosomal protein L27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	W	116	Total	C	N	O	S	0	0
			904	577	171	153	3		

- Molecule 32 is a protein called 39S ribosomal protein L28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	X	244	Total	C	N	O	S	0	0
			2044	1322	352	365	5		

- Molecule 33 is a protein called 39S ribosomal protein L47, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Y	181	Total	C	N	O	S	0	0
			1556	995	298	259	4		

- Molecule 34 is a protein called 39S ribosomal protein L30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Z	122	Total	C	N	O	S	0	0
			996	636	186	171	3		

- Molecule 35 is a protein called 39S ribosomal protein L43, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	150	Total	C	N	O	S	0	0
			1193	742	231	217	3		

- Molecule 36 is a protein called 39S ribosomal protein L45, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	d	259	Total	C	N	O	S	0	0
			2124	1357	369	384	14		

- Molecule 37 is a protein called 39S ribosomal protein L46, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	e	238	Total	C	N	O	S	0	0
			1931	1222	339	364	6		

- Molecule 38 is a protein called 39S ribosomal protein L49, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	134	Total	C	N	O	S	0	0
			1113	719	193	199	2		

- Molecule 39 is a protein called 39S ribosomal protein L50, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	110	Total	C	N	O	S	0	0
			895	568	156	168	3		

- Molecule 40 is a protein called 39S ribosomal protein L51, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	97	Total	C	N	O	S	0	0
			828	532	165	127	4		

- Molecule 41 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	94	Total	C	N	O	S	0	0
			745	463	144	136	2		

- Molecule 42 is a protein called Large ribosomal subunit protein mL53.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	102	Total	C	N	O	S	0	0
			774	479	148	142	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	1	ACE	-	acetylation	UNP Q96EL3

- Molecule 43 is a protein called 39S ribosomal protein L54, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	82	Total	C	N	O	S	0	0
			688	437	120	128	3		

- Molecule 44 is a protein called 39S ribosomal protein L55, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	65	Total	C	N	O	S	0	0
			541	333	112	94	2		

- Molecule 45 is a protein called Nascent polypeptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	n	32	Total	C	N	O	0	0
			160	96	32	32		

- Molecule 46 is a protein called Ribosomal protein 63, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	94	Total	C	N	O	S	0	0
			798	501	165	129	3		

- Molecule 47 is a protein called Growth arrest and DNA damage-inducible proteins-interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	177	Total	C	N	O	S	0	0
			1495	929	292	269	5		

- Molecule 48 is a protein called 39S ribosomal protein S18a, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	r	162	Total	C	N	O	S	0	0
			1322	839	252	223	8		

- Molecule 49 is a protein called Large ribosomal subunit protein uL1m.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	z	252	Total	C	N	O	S	0	0
			2027	1304	336	381	6		

- Molecule 50 is a RNA chain called 16S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	A	1558	Total	C	N	O	P	0	0
			33070	14843	5963	10706	1558		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	A	deletion	GB 2756414513
A	?	-	C	deletion	GB 2756414513
A	?	-	U	deletion	GB 2756414513

- Molecule 51 is a protein called 39S ribosomal protein L44, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	c	286	Total	C	N	O	S	0	0
			2299	1470	397	423	9		

- Molecule 52 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	f	157	Total	C	N	O	S	0	0
			1252	799	207	242	4		

- Molecule 53 is a protein called Peptidyl-tRNA hydrolase ICT1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	p	147	Total	C	N	O	S	0	0
			1205	748	228	225	4		

- Molecule 54 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	s	385	Total	C	N	O	S	0	0
			3148	2018	558	558	14		

- Molecule 55 is a protein called Mitochondrial inner membrane protein OXA1L.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	OX	42	Total	C	N	O	S	0	0
			359	221	75	62	1		

- Molecule 56 is a protein called 39S ribosomal protein L42, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	a	103	Total	C	N	O	S	0	0
			865	543	155	162	5		

- Molecule 57 is a RNA chain called mitochondrial tRNA^{Val}.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B	72	Total	C	N	O	P	0	0
			1524	685	269	498	72		

- Molecule 58 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
58	0	1	Total 1	Zn 1	0
58	4	1	Total 1	Zn 1	0


- Molecule 59 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
59	3	1	Total 1	K 1	0
59	6	1	Total 1	K 1	0
59	D	1	Total 1	K 1	0
59	M	1	Total 1	K 1	0
59	N	1	Total 1	K 1	0
59	W	1	Total 1	K 1	0
59	o	1	Total 1	K 1	0
59	A	29	Total 29	K 29	0

- Molecule 60 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
60	D	2	Total 2	Mg 2	0
60	E	1	Total 1	Mg 1	0
60	g	1	Total 1	Mg 1	0
60	A	137	Total 137	Mg 137	0

- Molecule 61 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
61	r	1	Total	Fe	S	0
			4	2	2	

- Molecule 62 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
62	A	1	Total	C	N	0
			10	7	3	
62	A	1	Total	C	N	0
			10	7	3	

- Molecule 63 is 1,4-DIAMINOBUTANE (CCD ID: PUT) (formula: $C_4H_{12}N_2$).



Mol	Chain	Residues	Atoms			AltConf
63	A	1	Total	C	N	0
			6	4	2	

- Molecule 64 is VALINE (CCD ID: VAL) (formula: $C_5H_{11}NO_2$).




Mol	Chain	Residues	Atoms				AltConf
64	B	1	Total	C	N	O	0
			7	5	1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 39S ribosomal protein L32, mitochondrial




- Molecule 2: 39S ribosomal protein L33, mitochondrial



- Molecule 3: 39S ribosomal protein L34, mitochondrial



- Molecule 4: 39S ribosomal protein L35, mitochondrial




- Molecule 5: 39S ribosomal protein L36, mitochondrial



MET ALA ASN LEU PHE ILE ARG LYS MET MET ASN VAL PRO PRO LEU LEU TYR SER SER GLN ARG HIS THR VAL LYS PRO PRO ARG ALA LEU SER SER PHE LEU PHE PHE GLY SER ILE ARG GLY ALA ALA PRO VAL VAL ALA VAL GLU PRO GLY GLY ALA VAL ARG SER LEU LEU SER PRO HIS LEU LEU

LEU PRO ALA LEU GLY P66 K69 L72 M103


- Molecule 6: 39S ribosomal protein L37, mitochondrial

Chain 5:  90% 7%

MET ALA LEU ALA SER GLY PRO ALA ARG ARG ALA CYS LEU LEU GLY GLY SER GLN LEU LEU LEU GLY GLY PHE PHE GLY ALA PRO ARG ARG GLY A30 L98 L113 P84 I129 Q165 T166 T167 T175 R201 R215 T232 D272 A311 F354 L364 L373 R395


L417 A423

- Molecule 7: 39S ribosomal protein L38, mitochondrial

Chain 6:  91% 7%

MET ALA ALA PRO TRP ARG ALA ALA LEU CYS GLU CYS ARG TRP ARG ALA GLY PHE THR THR ALA VAL LEU GLY R27 K81 T82 D83 P84 K85 E86 R106 L161 E181 V187 Y206 W214 L225 H234 P257 D276 T300 F319 Y380

- Molecule 8: 39S ribosomal protein L39, mitochondrial

Chain 7:  81% 6% 13%

MET GLU ALA LEU MET GLY SER ARG ALA LEU ARG LEU TRP VAL PRO GLY GLY GLY ILE THR SER SER ALA SER Q34 R61 L107 P112 W113 D114 K117 L128 M139 M150 G151 C152 V153 I154 L166 V174 Y181

F260 P267 F276 L286 R296 F303 V304 L317 D327 GLN SER LYS ALA THR GLU GLU CYS THR SER THR

- Molecule 9: 39S ribosomal protein L40, mitochondrial


Chain 8:  22% 63% 5% 33%

MET THR ALA VAL LEU ARG SER ILE SER SER LEU ALA LEU ARG PRO THR THR GLY SER LEU LEU LEU GLY GLY THR TRP TRP GLN THR ARG ALA THR HIS GLN ARG ALA SER SER LEU SER PHE TRP LEU ILE PRO MET ARG GLU PRO LEU ARG LYS LYS LYS VAL ASP PRO LYS LYS


ASP GLN GLU ALA K65 E66 R67 L68 K69 R70 K71 I72 T73 K74 L75 E76 K77 A78 T79 Q80 F88 P91 L92 L96 D96 K97 A98 R99 Q103 V104 E105 L106 L117 K125 I136 R137 A138 E141 E145 E148 E149 L152 E153 L157 R164 K173

I182 P187 R191 Y192 N193 D194 V198 Y199 T200 Q201 V202 E203 PHE LYS ARG




- Molecule 10: 39S ribosomal protein L41, mitochondrial





- Molecule 15: 39S ribosomal protein L12, mitochondrial



- Molecule 15: 39S ribosomal protein L12, mitochondrial



- Molecule 15: 39S ribosomal protein L12, mitochondrial



[illegible]

- Molecule 15: 39S ribosomal protein L12, mitochondrial



P61	P62	K63	I64	K65	Q66	L67	V68	Q69	D70	I71	A72	S73	L74	T75	L76	L77	E78	I79	S80	D81	L82	N83	E84	L85	L86	K87	K88	T89	L90	K91	I91	L91	L92	L93	L94	L95	L96	L97	L98	L99	L100	L101	L102	L103	L104	L105	L106	L107	L108	L109	L110	L111	L112	L113	L114	L115	L116	L117	L118	L119	L120	L121	L122	L123	L124	L125	L126	L127	L128	L129	L130	L131	L132	L133	L134	L135	L136	L137	L138	L139	L140	L141	L142	L143	L144	L145	L146	L147	L148	L149	L150	L151	L152	L153	L154	L155	L156	L157	L158	L159	L160	L161	L162	L163	L164	L165	L166	L167	L168	L169	L170	L171	L172	L173	L174	L175	L176	L177	L178	L179	L180	L181	L182	L183	L184	L185	L186	L187	L188	L189	L190	L191	L192	L193	L194	L195	L196	L197	L198	L199	L200	L201	L202	L203	L204	L205	L206	L207	L208	L209	L210	L211	L212	L213	L214	L215	L216	L217	L218	L219	L220	L221	L222	L223	L224	L225	L226	L227	L228	L229	L230	L231	L232	L233	L234	L235	L236	L237	L238	L239	L240	L241	L242	L243	L244	L245	L246	L247	L248	L249	L250	L251	L252	L253	L254	L255	L256	L257	L258	L259	L260	L261	L262	L263	L264	L265	L266	L267	L268	L269	L270	L271	L272	L273	L274	L275	L276	L277	L278	L279	L280	L281	L282	L283	L284	L285	L286	L287	L288	L289	L290	L291	L292	L293	L294	L295	L296	L297	L298	L299	L300	L301	L302	L303	L304	L305	L306	L307	L308	L309	L310	L311	L312	L313	L314	L315	L316	L317	L318	L319	L320	L321	L322	L323	L324	L325	L326	L327	L328	L329	L330	L331	L332	L333	L334	L335	L336	L337	L338	L339	L340	L341	L342	L343	L344	L345	L346	L347	L348	L349	L350	L351	L352	L353	L354	L355	L356	L357	L358	L359	L360	L361	L362	L363	L364	L365	L366	L367	L368	L369	L370	L371	L372	L373	L374	L375	L376	L377	L378	L379	L380	L381	L382	L383	L384	L385	L386	L387	L388	L389	L390	L391	L392	L393	L394	L395	L396	L397	L398	L399	L400	L401	L402	L403	L404	L405	L406	L407	L408	L409	L410	L411	L412	L413	L414	L415	L416	L417	L418	L419	L420	L421	L422	L423	L424	L425	L426	L427	L428	L429	L430	L431	L432	L433	L434	L435	L436	L437	L438	L439	L440	L441	L442	L443	L444	L445	L446	L447	L448	L449	L450	L451	L452	L453	L454	L455	L456	L457	L458	L459	L460	L461	L462	L463	L464	L465	L466	L467	L468	L469	L470	L471	L472	L473	L474	L475	L476	L477	L478	L479	L480	L481	L482	L483	L484	L485	L486	L487	L488	L489	L490	L491	L492	L493	L494	L495	L496	L497	L498	L499	L500	L501	L502	L503	L504	L505	L506	L507	L508	L509	L510	L511	L512	L513	L514	L515	L516	L517	L518	L519	L520	L521	L522	L523	L524	L525	L526	L527	L528	L529	L530	L531	L532	L533	L534	L535	L536	L537	L538	L539	L540	L541	L542	L543	L544	L545	L546	L547	L548	L549	L550	L551	L552	L553	L554	L555	L556	L557	L558	L559	L560	L561	L562	L563	L564	L565	L566	L567	L568	L569	L570	L571	L572	L573	L574	L5
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----

[illegible]

- Molecule 15: 39S ribosomal protein L12, mitochondrial

[illegible]

ALA	TLE
GLU	PRO
LYS	TLE
IIE	ALA
LYS	LYS
ALA	GLU
ALA	ARG
LEU	THR
GLU	HIS
ALA	PHE
VAL	THR
GLY	VAL
GLY	ARG
THR	LEU
VAL	THR
VAL	GLU
LEU	LYS
GLU	PRO
	VAL
	ASP
	LYS
	VAL
	LYS
	LEU
	LYS
	LYS
	GLU
	IIE
	LYS
	ASN
	THR
	IIE
	GLN
	GLY
	IIE
	ASN
	LEU
	VAL
	GLN
	ALA
	LYS
	LYS
	VAL
	GLU
	SER
	LEU
	PRO
	GLN
	GLU
	IIE
	LYS
	ALA
	ASN
	VAL
	ALA
	LYS
	ALA
	GLU


- Molecule 15: 39S ribosomal protein L12, mitochondrial




P61	P62	P63	P64	P65	P66	P67	P68	P69	P70	P71	P72	P73	P74	P75	P76	P77	P78	P79	P80	P81	P82	P83	P84	P85	P86	P87	P88	P89	P90	P91	P92	P93	P94	P95	P96	P97	P98	P99	P100														
Met	Leu	Ala	Ala	Ala	Arg	Arg	Pro	Gly	Trp	Leu	Cys	Leu	Gly	Arg	Ala	Ala	Ala	Phe	Arg	Leu	Ala	Arg	Gln	Val	Pro	Cys	Val	Cys	Ala	Val	Arg	His	Met	Arg	Ser	Ser	Gly	His	Gln	Arg	Cys	Gly	Ala	Ala	Pro	Leu	Asp	Asn	Ala	Pro	Lys	Glu	Thr

[illegible]


- Molecule 15: 39S ribosomal protein L12, mitochondrial




- Molecule 16: 39S ribosomal protein L9, mitochondrial




- Molecule 17: 39S ribosomal protein L10, mitochondrial



- Molecule 18: 39S ribosomal protein L11, mitochondrial






- Molecule 19: Large ribosomal subunit protein uL13m

Chain K: 98%




- Molecule 20: 39S ribosomal protein L14, mitochondrial

Chain L: 77% 21%




- Molecule 21: 39S ribosomal protein L15, mitochondrial

Chain M: 96%



- Molecule 22: 39S ribosomal protein L16, mitochondrial

Chain N: 84% 12%




- Molecule 23: 39S ribosomal protein L17, mitochondrial

Chain O: 83% 5% 12%




- Molecule 24: 39S ribosomal protein L18, mitochondrial

Chain P: 78% 20%



- Molecule 25: 39S ribosomal protein L19, mitochondrial

Chain Q:  73% 25%

MET ALA ALA CYS ILE ALA GLY HIS TRP ALA MET GLY LEU ARG SER PHE GLN ALA ALA ARG THR LEU LEU PRO PRO PRO ALA SER TLE CYS ARG VAL HIS ALA GLY PRO VAL GLN ARG GLN SER THR GLY PRO SER GLU PRO GLY PHE GLN PRO PRO LYS PRO


VAL TLE VAL ASP LYS HIS ARG PRO VAL GLU PRO GLU R73 L100 L117 L145 G146 L151 R212 I286 R291 S292

- Molecule 26: 39S ribosomal protein L20, mitochondrial

Chain R:  93% 6%


MET VAL PHE LEU THR ALA GLN LEU TRP L10 L90 V91 K136 H149

- Molecule 27: 39S ribosomal protein L21, mitochondrial

Chain S:  77% 21%


MET ALA ALA SER LEU THR VAL THR LEU LEU ARG LEU ALA SER ALA CYS HIS SER ILE LEU ARG PRO SER GLY PRO GLY ALA ALA SER LEU TRP SER ALA ARG ARG PHE ASN SER GLN SER THR S45 Y46 L47 F96 K163 R173 F180 L205

- Molecule 28: 39S ribosomal protein L22, mitochondrial

Chain T:  80% 19%

MET ALA ALA VAL LEU GLY GLN GLY LEU LEU TRP ILE HIS ASN LEU ARG SER ARG GLY LYS LEU ALA LEU GLY VAL LEU PRO GLN SER TYR ILE THR SER ALA SER LEU ASP T41 R62 Y193 L206

- Molecule 29: 39S ribosomal protein L23, mitochondrial

Chain U:  13% 95% 5%


MET R2 V65 V97 D115 E116 P118 E119 G120 S121 A122 A123 D124 D125 L126 Y127 S128 M129 L130 E131 E132 E133 R134 Q135 Q136 R137 L153


- Molecule 30: 39S ribosomal protein L24, mitochondrial

Chain V:  91% 5%

MET ARG LEU SER ALA LEU ALA ALA SER K12 V13 T14 Y55 V79 I80 W85 V86 M102 D103 I133 E142 V146 Y215

- Molecule 31: 39S ribosomal protein L27, mitochondrial


Chain W:  76% 22%




- Molecule 32: 39S ribosomal protein L28, mitochondrial




- Molecule 33: 39S ribosomal protein L47, mitochondrial





- Molecule 34: 39S ribosomal protein L30, mitochondrial




- Molecule 35: 39S ribosomal protein L43, mitochondrial




- Molecule 36: 39S ribosomal protein L45, mitochondrial






- Molecule 37: 39S ribosomal protein L46, mitochondrial

Chain e: 36% 76% 9% 15%




- Molecule 38: 39S ribosomal protein L49, mitochondrial

Chain g: 79% 19%




- Molecule 39: 39S ribosomal protein L50, mitochondrial

Chain h: 68% 30%




- Molecule 40: 39S ribosomal protein L51, mitochondrial

Chain i: 75% 24%





- Molecule 41: 39S ribosomal protein L52, mitochondrial


Chain j: 5% 76% 24%




- Molecule 42: Large ribosomal subunit protein mL53





- Molecule 43: 39S ribosomal protein L54, mitochondrial





- Molecule 44: 39S ribosomal protein L55, mitochondrial




- Molecule 45: Nascent polypeptide




- Molecule 46: Ribosomal protein 63, mitochondrial




- Molecule 47: Growth arrest and DNA damage-inducible proteins-interacting protein 1




- Molecule 48: 39S ribosomal protein S18a, mitochondrial




- Molecule 49: Large ribosomal subunit protein uL1m




- Molecule 50: 16S mitochondrial rRNA









- Molecule 53: Peptidyl-tRNA hydrolase ICT1, mitochondrial




- Molecule 54: 39S ribosomal protein S30, mitochondrial




- Molecule 55: Mitochondrial inner membrane protein OXA1L






• Molecule 56: 39S ribosomal protein L42, mitochondrial



• Molecule 57: mitochondrial tRNA^{Val}



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	131357	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.795	Depositor
Minimum map value	-0.325	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.08	Depositor
Map size (Å)	512.63995, 512.63995, 512.63995	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.068, 1.068, 1.068	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, K, 1MA, ACE, FES, OMU, 2MG, MG, ZN, OMG, PUT, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.22	0/913	0.25	0/1224
2	1	0.21	0/469	0.28	0/621
3	2	0.26	0/383	0.28	0/507
4	3	0.26	0/853	0.27	0/1136
5	4	0.24	0/350	0.23	0/461
6	5	0.20	0/3305	0.28	0/4502
7	6	0.18	0/3043	0.28	0/4140
8	7	0.19	0/2447	0.29	0/3310
9	8	0.13	0/1204	0.29	0/1621
10	9	0.20	0/1025	0.26	0/1379
11	C	0.14	0/1302	0.31	0/1751
12	D	0.21	0/1896	0.28	0/2549
13	E	0.23	0/2475	0.30	0/3355
14	F	0.25	0/2090	0.30	0/2842
15	G	0.19	0/562	0.52	0/754
15	t	0.15	0/358	0.32	0/486
15	u	0.22	0/259	0.39	0/350
15	v	0.15	0/259	0.36	0/350
15	w	0.20	0/246	0.50	0/331
15	x	0.14	0/246	0.35	0/331
15	y	0.16	0/246	0.42	0/331
16	H	0.15	0/1698	0.29	0/2292
17	I	0.16	0/1731	0.31	0/2345
18	J	0.14	0/1348	0.29	0/1813
19	K	0.25	0/1497	0.27	0/2031
20	L	0.20	0/905	0.27	0/1218
21	M	0.24	0/2381	0.30	0/3212
22	N	0.21	0/1833	0.27	0/2468
23	O	0.23	0/1283	0.27	0/1727
24	P	0.20	0/1199	0.25	0/1623
25	Q	0.20	0/1875	0.26	0/2523
26	R	0.25	0/1175	0.26	0/1572

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	S	0.25	0/1320	0.31	0/1789
28	T	0.23	0/1403	0.26	0/1886
29	U	0.24	0/1279	0.34	0/1730
30	V	0.19	0/1721	0.26	0/2333
31	W	0.24	0/926	0.26	0/1244
32	X	0.21	0/2099	0.25	0/2837
33	Y	0.23	0/1593	0.24	0/2136
34	Z	0.23	0/1021	0.27	0/1378
35	b	0.24	0/1218	0.28	0/1649
36	d	0.17	0/2181	0.32	0/2949
37	e	0.13	0/1970	0.31	0/2658
38	g	0.23	0/1151	0.28	0/1569
39	h	0.17	0/918	0.25	0/1249
40	i	0.26	0/850	0.27	0/1135
41	j	0.20	0/760	0.23	0/1023
42	k	0.14	0/783	0.23	0/1057
43	l	0.13	0/707	0.27	0/960
44	m	0.10	0/549	0.29	0/737
46	o	0.24	0/819	0.27	0/1097
47	q	0.17	0/1529	0.30	0/2055
48	r	0.22	0/1362	0.29	0/1846
49	z	0.14	0/2067	0.35	0/2793
50	A	0.26	0/36876	0.29	0/57402
51	c	0.20	0/2347	0.25	0/3171
52	f	0.16	0/1273	0.32	0/1716
53	p	0.17	0/1223	0.27	0/1641
54	s	0.23	0/3231	0.29	0/4389
55	OX	0.18	0/366	0.49	0/491
56	a	0.21	0/891	0.34	0/1208
57	B	0.17	0/1626	0.27	0/2523
All	All	0.22	0/116915	0.29	0/165806

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	898	0	916	1	0
2	1	464	0	511	3	0
3	2	377	0	406	0	0
4	3	832	0	883	4	0
5	4	342	0	361	2	0
6	5	3210	0	3206	9	0
7	6	2948	0	2841	6	0
8	7	2390	0	2397	11	0
9	8	1179	0	1205	13	0
10	9	997	0	987	1	0
11	C	1286	0	1270	33	0
12	D	1859	0	1920	2	0
13	E	2406	0	2415	5	0
14	F	2031	0	2065	6	0
15	G	558	0	612	20	0
15	t	354	0	377	0	0
15	u	257	0	283	4	0
15	v	257	0	283	1	0
15	w	245	0	275	3	0
15	x	245	0	275	2	0
15	y	245	0	275	4	0
16	H	1661	0	1734	6	0
17	I	1695	0	1785	12	0
18	J	1330	0	1407	8	0
19	K	1455	0	1452	2	0
20	L	890	0	941	2	0
21	M	2327	0	2395	6	0
22	N	1786	0	1817	9	0
23	O	1259	0	1294	5	0
24	P	1173	0	1165	3	0
25	Q	1834	0	1872	4	0
26	R	1154	0	1214	2	0
27	S	1293	0	1365	3	0
28	T	1369	0	1410	3	0
29	U	1248	0	1228	4	0
30	V	1676	0	1687	5	0
31	W	904	0	934	2	0
32	X	2044	0	2060	3	0
33	Y	1556	0	1597	1	0
34	Z	996	0	1044	2	0
35	b	1193	0	1191	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
36	d	2124	0	2125	28	0
37	e	1931	0	1916	17	0
38	g	1113	0	1097	2	0
39	h	895	0	881	2	0
40	i	828	0	857	1	0
41	j	745	0	746	1	0
42	k	774	0	784	2	0
43	l	688	0	673	2	0
44	m	541	0	564	5	0
45	n	160	0	40	0	0
46	o	798	0	804	2	0
47	q	1495	0	1492	15	0
48	r	1322	0	1348	3	0
49	z	2027	0	2076	21	0
50	A	33070	0	16793	104	0
51	c	2299	0	2320	2	0
52	f	1252	0	1269	16	0
53	p	1205	0	1223	2	0
54	s	3148	0	3131	8	0
55	OX	359	0	355	5	0
56	a	865	0	829	3	0
57	B	1524	0	779	16	0
58	0	1	0	0	0	0
58	4	1	0	0	0	0
59	3	1	0	0	0	0
59	6	1	0	0	0	0
59	A	29	0	0	0	0
59	D	1	0	0	0	0
59	M	1	0	0	0	0
59	N	1	0	0	0	0
59	W	1	0	0	0	0
59	o	1	0	0	0	0
60	A	137	0	0	0	0
60	D	2	0	0	0	0
60	E	1	0	0	0	0
60	g	1	0	0	0	0
61	r	4	0	0	0	0
62	A	20	0	38	0	0
63	A	6	0	12	0	0
64	B	7	0	8	2	0
All	All	111602	0	95515	397	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 397 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:I:64:CYS:HB3	48:r:73:CYS:SG	2.20	0.80
47:q:164:LEU:HB3	47:q:168:VAL:HG21	1.66	0.76
28:T:62:ARG:HE	36:d:230:ARG:HD2	1.51	0.75
14:F:103:GLN:HE22	14:F:249:ASN:HD22	1.35	0.75
15:G:143:VAL:HA	15:G:146:ILE:HG12	1.71	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	108/188 (57%)	108 (100%)	0	0	100	100
2	1	54/65 (83%)	54 (100%)	0	0	100	100
3	2	44/92 (48%)	43 (98%)	1 (2%)	0	100	100
4	3	93/188 (50%)	92 (99%)	1 (1%)	0	100	100
5	4	36/103 (35%)	36 (100%)	0	0	100	100
6	5	392/423 (93%)	385 (98%)	7 (2%)	0	100	100
7	6	352/380 (93%)	342 (97%)	10 (3%)	0	100	100
8	7	292/338 (86%)	283 (97%)	9 (3%)	0	100	100
9	8	137/206 (66%)	135 (98%)	2 (2%)	0	100	100
10	9	122/137 (89%)	120 (98%)	2 (2%)	0	100	100
11	C	164/297 (55%)	159 (97%)	5 (3%)	0	100	100
12	D	236/305 (77%)	229 (97%)	7 (3%)	0	100	100
13	E	303/348 (87%)	294 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	F	250/311 (80%)	246 (98%)	4 (2%)	0	100	100
15	G	70/198 (35%)	65 (93%)	5 (7%)	0	100	100
15	t	44/198 (22%)	43 (98%)	1 (2%)	0	100	100
15	u	30/198 (15%)	29 (97%)	1 (3%)	0	100	100
15	v	30/198 (15%)	29 (97%)	1 (3%)	0	100	100
15	w	29/198 (15%)	26 (90%)	3 (10%)	0	100	100
15	x	29/198 (15%)	28 (97%)	1 (3%)	0	100	100
15	y	29/198 (15%)	26 (90%)	3 (10%)	0	100	100
16	H	200/267 (75%)	196 (98%)	4 (2%)	0	100	100
17	I	210/261 (80%)	208 (99%)	2 (1%)	0	100	100
18	J	173/192 (90%)	172 (99%)	1 (1%)	0	100	100
19	K	176/178 (99%)	175 (99%)	1 (1%)	0	100	100
20	L	113/145 (78%)	111 (98%)	2 (2%)	0	100	100
21	M	289/296 (98%)	284 (98%)	5 (2%)	0	100	100
22	N	220/251 (88%)	219 (100%)	1 (0%)	0	100	100
23	O	152/175 (87%)	148 (97%)	4 (3%)	0	100	100
24	P	142/180 (79%)	138 (97%)	4 (3%)	0	100	100
25	Q	218/292 (75%)	217 (100%)	1 (0%)	0	100	100
26	R	138/149 (93%)	137 (99%)	1 (1%)	0	100	100
27	S	159/205 (78%)	158 (99%)	1 (1%)	0	100	100
28	T	164/206 (80%)	164 (100%)	0	0	100	100
29	U	150/153 (98%)	148 (99%)	2 (1%)	0	100	100
30	V	203/216 (94%)	202 (100%)	1 (0%)	0	100	100
31	W	114/148 (77%)	112 (98%)	2 (2%)	0	100	100
32	X	242/256 (94%)	239 (99%)	3 (1%)	0	100	100
33	Y	179/250 (72%)	176 (98%)	3 (2%)	0	100	100
34	Z	120/161 (74%)	119 (99%)	1 (1%)	0	100	100
35	b	148/215 (69%)	143 (97%)	5 (3%)	0	100	100
36	d	257/306 (84%)	243 (95%)	13 (5%)	1 (0%)	30	57
37	e	236/279 (85%)	226 (96%)	10 (4%)	0	100	100
38	g	132/166 (80%)	130 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	h	108/158 (68%)	103 (95%)	5 (5%)	0	100	100
40	i	95/128 (74%)	95 (100%)	0	0	100	100
41	j	92/123 (75%)	90 (98%)	2 (2%)	0	100	100
42	k	100/112 (89%)	100 (100%)	0	0	100	100
43	l	80/138 (58%)	79 (99%)	1 (1%)	0	100	100
44	m	63/128 (49%)	62 (98%)	1 (2%)	0	100	100
46	o	92/102 (90%)	92 (100%)	0	0	100	100
47	q	175/222 (79%)	175 (100%)	0	0	100	100
48	r	160/196 (82%)	159 (99%)	1 (1%)	0	100	100
49	z	250/325 (77%)	235 (94%)	15 (6%)	0	100	100
51	c	282/332 (85%)	280 (99%)	2 (1%)	0	100	100
52	f	153/212 (72%)	148 (97%)	5 (3%)	0	100	100
53	p	141/206 (68%)	138 (98%)	3 (2%)	0	100	100
54	s	381/439 (87%)	372 (98%)	9 (2%)	0	100	100
55	OX	38/435 (9%)	34 (90%)	4 (10%)	0	100	100
56	a	99/142 (70%)	98 (99%)	1 (1%)	0	100	100
All	All	9288/13112 (71%)	9097 (98%)	190 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
36	d	47	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	99/164 (60%)	99 (100%)	0	100	100
2	1	53/60 (88%)	53 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	2	40/72 (56%)	40 (100%)	0	100	100
4	3	88/166 (53%)	88 (100%)	0	100	100
5	4	37/89 (42%)	37 (100%)	0	100	100
6	5	353/368 (96%)	353 (100%)	0	100	100
7	6	313/332 (94%)	313 (100%)	0	100	100
8	7	270/303 (89%)	270 (100%)	0	100	100
9	8	129/190 (68%)	129 (100%)	0	100	100
10	9	104/112 (93%)	104 (100%)	0	100	100
11	C	141/245 (58%)	141 (100%)	0	100	100
12	D	192/245 (78%)	192 (100%)	0	100	100
13	E	260/290 (90%)	260 (100%)	0	100	100
14	F	219/262 (84%)	219 (100%)	0	100	100
15	G	60/158 (38%)	60 (100%)	0	100	100
15	t	40/158 (25%)	40 (100%)	0	100	100
15	u	31/158 (20%)	31 (100%)	0	100	100
15	v	31/158 (20%)	31 (100%)	0	100	100
15	w	30/158 (19%)	30 (100%)	0	100	100
15	x	30/158 (19%)	30 (100%)	0	100	100
15	y	30/158 (19%)	30 (100%)	0	100	100
16	H	182/228 (80%)	182 (100%)	0	100	100
17	I	194/232 (84%)	194 (100%)	0	100	100
18	J	138/150 (92%)	138 (100%)	0	100	100
19	K	155/155 (100%)	155 (100%)	0	100	100
20	L	98/124 (79%)	98 (100%)	0	100	100
21	M	246/249 (99%)	246 (100%)	0	100	100
22	N	189/211 (90%)	189 (100%)	0	100	100
23	O	134/150 (89%)	134 (100%)	0	100	100
24	P	126/155 (81%)	126 (100%)	0	100	100
25	Q	202/256 (79%)	202 (100%)	0	100	100
26	R	118/126 (94%)	118 (100%)	0	100	100
27	S	146/180 (81%)	146 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	T	146/176 (83%)	146 (100%)	0	100	100
29	U	134/135 (99%)	134 (100%)	0	100	100
30	V	183/191 (96%)	183 (100%)	0	100	100
31	W	94/119 (79%)	94 (100%)	0	100	100
32	X	220/229 (96%)	220 (100%)	0	100	100
33	Y	163/223 (73%)	163 (100%)	0	100	100
34	Z	113/147 (77%)	113 (100%)	0	100	100
35	b	132/186 (71%)	132 (100%)	0	100	100
36	d	237/274 (86%)	237 (100%)	0	100	100
37	e	207/236 (88%)	207 (100%)	0	100	100
38	g	124/148 (84%)	124 (100%)	0	100	100
39	h	104/148 (70%)	104 (100%)	0	100	100
40	i	86/110 (78%)	86 (100%)	0	100	100
41	j	74/97 (76%)	74 (100%)	0	100	100
42	k	83/89 (93%)	83 (100%)	0	100	100
43	l	76/116 (66%)	76 (100%)	0	100	100
44	m	58/113 (51%)	58 (100%)	0	100	100
46	o	80/87 (92%)	80 (100%)	0	100	100
47	q	153/178 (86%)	153 (100%)	0	100	100
48	r	147/169 (87%)	147 (100%)	0	100	100
49	z	226/287 (79%)	226 (100%)	0	100	100
51	c	251/288 (87%)	251 (100%)	0	100	100
52	f	139/188 (74%)	139 (100%)	0	100	100
53	p	135/181 (75%)	135 (100%)	0	100	100
54	s	339/381 (89%)	339 (100%)	0	100	100
55	OX	38/372 (10%)	38 (100%)	0	100	100
56	a	99/133 (74%)	99 (100%)	0	100	100
All	All	8319/11221 (74%)	8319 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 49 such sidechains are listed below:

Mol	Chain	Res	Type
37	e	67	GLN
47	q	60	GLN
37	e	106	HIS
37	e	251	HIS
15	t	65	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
50	A	1556/1558 (99%)	247 (15%)	2 (0%)
57	B	70/72 (97%)	16 (22%)	0
All	All	1626/1630 (99%)	263 (16%)	2 (0%)

5 of 263 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
50	A	1681	G
50	A	1689	C
50	A	1692	A
50	A	1699	C
50	A	1700	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
50	A	2245	A
50	A	2484	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
50	OMG	A	3040	50	23,26,27	0.33	0	32,38,41	0.45	0
57	PSU	B	39	57	18,21,22	1.03	1 (5%)	21,30,33	0.72	0
50	OMU	A	3039	59,50	19,22,23	0.31	0	25,31,34	0.74	1 (4%)
57	1MA	B	9	57	21,25,26	0.38	0	30,37,40	0.65	0
50	OMG	A	2815	59,50	23,26,27	0.35	0	32,38,41	0.41	0
57	2MG	B	10	57	23,26,27	0.36	0	33,38,41	0.42	0
50	1MA	A	2617	50	21,25,26	0.39	0	30,37,40	0.61	0
50	PSU	A	3067	50	18,21,22	1.12	2 (11%)	21,30,33	0.80	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
50	OMG	A	3040	50	-	0/9/27/28	0/3/3/3
57	PSU	B	39	57	-	0/7/25/26	0/2/2/2
50	OMU	A	3039	59,50	-	0/9/27/28	0/2/2/2
57	1MA	B	9	57	-	0/7/25/26	0/3/3/3
50	OMG	A	2815	59,50	-	0/9/27/28	0/3/3/3
57	2MG	B	10	57	-	0/9/27/28	0/3/3/3
50	1MA	A	2617	50	-	0/7/25/26	0/3/3/3
50	PSU	A	3067	50	-	1/7/25/26	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	B	39	PSU	C6-C5	3.57	1.39	1.35
50	A	3067	PSU	C6-C5	3.53	1.39	1.35
50	A	3067	PSU	O4'-C1'	-2.58	1.40	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	A	3039	OMU	C2'-C1'-N1	-2.73	109.05	114.24
50	A	3067	PSU	O4'-C1'-C2'	2.39	108.46	105.15

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
50	A	3067	PSU	O4'-C4'-C5'-O5'

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	B	9	1MA	1	0
50	A	2815	OMG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 184 ligands modelled in this entry, 179 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
61	FES	r	201	48,17	0,4,4	-	-	-		
62	SPD	A	3302	-	9,9,9	0.17	0	8,8,8	0.21	0
64	VAL	B	101	57	4,6,7	0.78	0	6,7,9	1.02	1 (16%)
62	SPD	A	3303	-	9,9,9	0.15	0	8,8,8	0.28	0
63	PUT	A	3304	-	5,5,5	0.13	0	4,4,4	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	FES	r	201	48,17	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
62	SPD	A	3302	-	-	0/7/7/7	-
64	VAL	B	101	57	-	0/5/6/8	-
62	SPD	A	3303	-	-	1/7/7/7	-
63	PUT	A	3304	-	-	0/3/3/3	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
64	B	101	VAL	O-C-CA	-2.33	118.78	124.77

There are no chirality outliers.

All (1) torsion outliers are listed below:




Mol	Chain	Res	Type	Atoms
62	A	3303	SPD	C2-C3-C4-C5

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
64	B	101	VAL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
50	A	1
57	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	2357:C	O3'	2361:G	P	9.33
1	B	46:A	O3'	48:U	P	4.49


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-71797. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 203




Y Index: 287




Z Index: 249


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_71797_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 762 nm^3 ; this corresponds to an approximate mass of 688 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.361 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.361 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.77	-	-
Author-provided FSC curve	2.76	3.11	2.80
Unmasked-calculated*	4.03	7.73	4.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.03 differs from the reported value 2.77 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-71797 and PDB model 9PR4. Per-residue inclusion information can be found in section [3](#) on page [18](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 88% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ



























































The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8260	 0.4920
0	 0.9060	 0.5590
1	 0.8270	 0.5150
2	 0.9610	 0.5980
3	 0.9610	 0.5960
4	 0.9140	 0.5800
5	 0.8950	 0.5460
6	 0.8430	 0.4880
7	 0.8480	 0.5010
8	 0.4920	 0.2480
9	 0.8940	 0.5460
A	 0.9380	 0.5390
B	 0.7830	 0.3090
C	 0.1750	 0.2480
D	 0.9090	 0.5660
E	 0.9200	 0.5680
F	 0.9460	 0.5790
G	 0.0270	 0.1290
H	 0.5080	 0.3180
I	 0.6250	 0.3780
J	 0.6230	 0.3130
K	 0.9460	 0.5790
L	 0.9060	 0.5590
M	 0.9380	 0.5740
N	 0.9070	 0.5570
O	 0.9290	 0.5670
OX	 0.3180	 0.2900
P	 0.8780	 0.5300
Q	 0.8910	 0.5530
R	 0.9330	 0.5740
S	 0.9230	 0.5650
T	 0.9350	 0.5840
U	 0.8160	 0.4950
V	 0.8510	 0.5100
W	 0.8980	 0.5690



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
X	 0.8980	 0.5460
Y	 0.9120	 0.5620
Z	 0.9280	 0.5750
a	 0.7720	 0.4820
b	 0.9420	 0.5780
c	 0.8950	 0.5320
d	 0.7130	 0.4470
e	 0.4500	 0.1920
f	 0.5340	 0.2850
g	 0.9210	 0.5620
h	 0.8600	 0.5020
i	 0.9510	 0.5920
j	 0.8500	 0.5160
k	 0.7850	 0.4660
l	 0.7270	 0.3820
m	 0.4590	 0.2220
n	 0.3750	 0.3070
o	 0.9500	 0.5850
p	 0.7770	 0.4640
q	 0.6100	 0.3770
r	 0.9070	 0.5560
s	 0.9060	 0.5560
t	 0.3340	 0.2330
u	 0.2620	 0.1610
v	 0.0310	 0.0660
w	 0.0330	 0.0720
x	 0.0200	 0.0470
y	 0.0120	 0.0360
z	 0.0690	 0.0770