



wwPDB EM Validation Summary Report ⓘ

Mar 18, 2026 – 12:23 AM UTC

PDB ID : 9QLQ / pdb_00009qlq
EMDB ID : EMD-53232
Title : NMT1-NAC bound human RNC with full length ARF1 - alternative State
Authors : Denk, T.; Berninghausen, O.; Beckmann, R.
Deposited on : 2025-03-21
Resolution : 2.57 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	FAILED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Q-score	25397	7615 (2.07 - 3.07)

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 91 unique types of molecules in this entry. The entry contains 223423 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called Full length ARF1-V5-hCMV staller mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	CM	12	Total	C	N	O	P	0	0
			247	111	37	87	12		

- Molecule 2 is a RNA chain called prolyl-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	CP	75	Total	C	N	O	P	0	0
			1602	713	284	530	75		

- Molecule 3 is a protein called Eukaryotic peptide chain release factor subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	CR	414	Total	C	N	O	S	0	0
			3269	2080	557	621	11		

- Molecule 4 is a protein called ADP-ribosylation factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	CZ	216	Total	C	N	O	S	0	0
			1627	1033	282	304	8		

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CZ	1	GLN	-	expression tag	UNP P84077
CZ	4	SER	ILE	conflict	UNP P84077
CZ	6	SER	ALA	conflict	UNP P84077
CZ	7	LYS	ASN	conflict	UNP P84077
CZ	8	PRO	LEU	conflict	UNP P84077
CZ	9	ARG	PHE	conflict	UNP P84077
CZ	182	GLY	-	expression tag	UNP P84077
CZ	183	LYS	-	expression tag	UNP P84077
CZ	184	PRO	-	expression tag	UNP P84077

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
CZ	185	ILE	-	expression tag	UNP P84077
CZ	186	PRO	-	expression tag	UNP P84077
CZ	187	ASN	-	expression tag	UNP P84077
CZ	188	PRO	-	expression tag	UNP P84077
CZ	189	LEU	-	expression tag	UNP P84077
CZ	190	LEU	-	expression tag	UNP P84077
CZ	191	GLY	-	expression tag	UNP P84077
CZ	192	LEU	-	expression tag	UNP P84077
CZ	193	ASP	-	expression tag	UNP P84077
CZ	194	SER	-	expression tag	UNP P84077
CZ	195	THR	-	expression tag	UNP P84077
CZ	196	MET	-	expression tag	UNP P84077
CZ	197	GLU	-	expression tag	UNP P84077
CZ	198	PRO	-	expression tag	UNP P84077
CZ	199	LEU	-	expression tag	UNP P84077
CZ	200	VAL	-	expression tag	UNP P84077
CZ	201	LEU	-	expression tag	UNP P84077
CZ	202	SER	-	expression tag	UNP P84077
CZ	203	ALA	-	expression tag	UNP P84077
CZ	204	LYS	-	expression tag	UNP P84077
CZ	205	LYS	-	expression tag	UNP P84077
CZ	206	LEU	-	expression tag	UNP P84077
CZ	207	SER	-	expression tag	UNP P84077
CZ	208	SER	-	expression tag	UNP P84077
CZ	209	LEU	-	expression tag	UNP P84077
CZ	210	LEU	-	expression tag	UNP P84077
CZ	211	THR	-	expression tag	UNP P84077
CZ	212	CYS	-	expression tag	UNP P84077
CZ	213	LYS	-	expression tag	UNP P84077
CZ	214	TYR	-	expression tag	UNP P84077
CZ	215	ILE	-	expression tag	UNP P84077
CZ	216	PRO	-	expression tag	UNP P84077
CZ	217	PRO	-	expression tag	UNP P84077

- Molecule 5 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	L5	3648	Total	C	N	O	P	0	0
			78199	34823	14307	25422	3647		

- Molecule 6 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	L7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 7 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	L8	156	Total	C	N	O	P	0	0
			3314	1480	585	1094	155		

- Molecule 8 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	LA	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 9 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LB	395	Total	C	N	O	S	0	0
			3183	2027	597	545	14		

- Molecule 10 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LC	364	Total	C	N	O	S	0	0
			2884	1814	576	479	15		

- Molecule 11 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LD	293	Total	C	N	O	S	0	0
			2361	1496	430	421	14		

- Molecule 12 is a protein called Large ribosomal subunit protein eL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LE	219	Total	C	N	O	S	0	0
			1754	1129	334	287	4		

- Molecule 13 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	LF	225	Total	C	N	O	S	0	0
			1870	1202	358	301	9		

- Molecule 14 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LG	229	Total	C	N	O	S	0	0
			1818	1157	351	306	4		

- Molecule 15 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LH	190	Total	C	N	O	S	0	0
			1510	950	282	272	6		

- Molecule 16 is a protein called Ribosomal protein uL16-like.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LI	207	Total	C	N	O	S	0	0
			1666	1059	323	270	14		

- Molecule 17 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LJ	169	Total	C	N	O	S	0	0
			1329	841	250	232	6		

- Molecule 18 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LL	205	Total	C	N	O	S	0	0
			1630	1020	340	266	4		

- Molecule 19 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LM	139	Total	C	N	O	S	0	0
			1122	720	216	179	7		

- Molecule 20 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LN	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 21 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	LO	200	Total	C	N	O	S	0	0
			1633	1053	318	257	5		

- Molecule 22 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	LP	153	Total	C	N	O	S	0	0
			1234	771	240	214	9		

- Molecule 23 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	LQ	187	Total	C	N	O	S	0	0
			1502	939	313	245	5		

- Molecule 24 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LR	176	Total	C	N	O	S	0	0
			1452	898	318	227	9		

- Molecule 25 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LS	175	Total	C	N	O	S	0	0
			1452	925	283	234	10		

- Molecule 26 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LT	159	Total	C	N	O	S	0	0
			1282	813	250	213	6		

- Molecule 27 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LU	101	Total	C	N	O	S	0	0
			806	520	141	143	2		

- Molecule 28 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	LV	131	Total	C	N	O	S	0	0
			971	613	183	170	5		

- Molecule 29 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LW	115	Total	C	N	O	S	0	0
			808	506	160	139	3		

- Molecule 30 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LX	120	Total	C	N	O	S	0	0
			981	627	184	169	1		

- Molecule 31 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LY	134	Total	C	N	O	S	0	0
			1111	697	225	186	3		

- Molecule 32 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	LZ	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 33 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	La	147	Total	C	N	O	S	0	0
			1154	731	236	184	3		

- Molecule 34 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Lb	75	Total	C	N	O	S	0	0
			590	367	123	97	3		

- Molecule 35 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Lc	97	Total	C	N	O	S	0	0
			742	473	130	133	6		

- Molecule 36 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Ld	107	Total	C	N	O	S	0	0
			874	554	171	147	2		

- Molecule 37 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Le	128	Total	C	N	O	S	0	0
			1049	664	215	165	5		

- Molecule 38 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Lf	109	Total	C	N	O	S	0	0
			872	552	173	144	3		

- Molecule 39 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Lg	114	Total	C	N	O	S	0	0
			889	557	184	142	6		

- Molecule 40 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Lh	121	Total	C	N	O	S	0	0
			1006	635	203	167	1		

- Molecule 41 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Li	102	Total	C	N	O	S	0	0
			813	510	176	123	4		

- Molecule 42 is a protein called Large ribosomal subunit protein eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 43 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Lk	69	Total	C	N	O	S	0	0
			542	350	100	91	1		

- Molecule 44 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Ll	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 45 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Lm	52	Total	C	N	O	S	0	0
			425	264	90	65	6		

- Molecule 46 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Ln	24	Total	C	N	O	S	0	0
			230	139	62	26	3		

- Molecule 47 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Lo	105	Total	C	N	O	S	0	0
			862	542	175	139	6		

- Molecule 48 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Lp	91	Total	C	N	O	S	0	0
			696	440	135	114	7		

- Molecule 49 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lr	125	Total	C	N	O	S	0	0
			997	618	207	168	4		

- Molecule 50 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Ls	212	Total	C	N	O	S	0	0
			1640	1042	284	305	9		

- Molecule 51 is a protein called Large ribosomal subunit protein uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Lt	160	Total	C	N	O	S	0	0
			1208	749	226	229	4		

- Molecule 52 is a protein called Nascent polypeptide-associated complex subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	NA	70	Total	C	N	O	S	0	0
			553	349	101	102	1		

- Molecule 53 is a protein called Isoform 2 of Transcription factor BTF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	NB	117	Total	C	N	O	S	0	0
			901	560	161	177	3		

- Molecule 54 is a protein called Glycylpeptide N-tetradecanoyltransferase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	NM	380	Total	C	N	O	S	3	0
			3122	2024	527	555	16		

- Molecule 55 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	S2	1713	Total	C	N	O	P	0	0
			36562	16320	6564	11966	1712		

- Molecule 56 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SA	216	Total	C	N	O	S	0	0
			1671	1068	297	298	8		

- Molecule 57 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SB	213	Total	C	N	O	S	0	0
			1718	1092	308	304	14		

- Molecule 58 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SC	219	Total	C	N	O	S	0	0
			1661	1076	284	291	10		

- Molecule 59 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SD	223	Total	C	N	O	S	0	0
			1594	1023	291	273	7		

- Molecule 60 is a protein called Small ribosomal subunit protein eS4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SE	262	Total	C	N	O	S	0	0
			1972	1270	370	324	8		

- Molecule 61 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SF	181	Total	C	N	O	S	0	0
			1403	879	269	248	7		

- Molecule 62 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SG	231	Total	C	N	O	S	0	0
			1634	1026	332	269	7		

- Molecule 63 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SH	183	Total	C	N	O		0	0
			1274	819	242	213			

- Molecule 64 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SI	206	Total	C	N	O	S	0	0
			1574	989	308	272	5		

- Molecule 65 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SJ	179	Total	C	N	O	S	0	0
			1431	915	290	224	2		

- Molecule 66 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SK	96	Total	C	N	O	S	0	0
			726	479	127	115	5		

- Molecule 67 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SL	144	Total	C	N	O	S	0	0
			1143	730	213	194	6		

- Molecule 68 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SM	122	Total	C	N	O	S	0	0
			950	596	168	177	9		

- Molecule 69 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SN	150	Total	C	N	O	S	0	0
			1182	758	226	197	1		

- Molecule 70 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SO	134	Total	C	N	O	S	0	0
			969	596	194	173	6		

- Molecule 71 is a protein called 40S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	SP	129	Total	C	N	O	S	0	0
			990	626	190	168	6		

- Molecule 72 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	SQ	142	Total	C	N	O	S	0	0
			1075	689	204	179	3		

- Molecule 73 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	SR	131	Total	C	N	O	S	0	0
			942	600	179	159	4		

- Molecule 74 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	SS	141	Total	C	N	O	S	0	0
			1130	712	232	185	1		

- Molecule 75 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	ST	143	Total	C	N	O	S	0	0
			1081	679	210	189	3		

- Molecule 76 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	SU	101	Total	C	N	O	S	0	0
			713	447	137	125	4		

- Molecule 77 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	SV	83	Total	C	N	O	S	0	0
			618	385	115	113	5		

- Molecule 78 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	SW	129	Total	C	N	O	S	0	0
			1026	655	193	172	6		

- Molecule 79 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	SX	141	Total	C	N	O	S	0	0
			1078	682	212	181	3		

- Molecule 80 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	SY	123	Total	C	N	O	S	0	0
			927	588	183	152	4		

- Molecule 81 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	SZ	75	Total	C	N	O	S	0	0
			559	361	105	92	1		

- Molecule 82 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	Sa	99	Total	C	N	O	S	0	0
			781	487	165	124	5		

- Molecule 83 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	Sb	83	Total	C	N	O	S	0	0
			618	386	118	107	7		

- Molecule 84 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	Sc	63	Total	C	N	O	S	0	0
			472	289	92	89	2		

- Molecule 85 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	Sd	53	Total	C	N	O	S	0	0
			433	271	87	70	5		

- Molecule 86 is a protein called Ubiquitin-like FUBI-ribosomal protein eS30 fusion protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	Se	55	Total	C	N	O	S	0	0
			416	254	93	68	1		

- Molecule 87 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	Sf	63	Total	C	N	O	S	0	0
			515	324	98	86	7		

- Molecule 88 is a protein called Receptor of activated protein C kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
88	Sg	308	Total	C	N	O	S	0	0
			2180	1393	381	395	11		

- Molecule 89 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
89	CM	1	Total	Mg	0
			1	1	
89	L5	125	Total	Mg	0
			125	125	
89	L7	3	Total	Mg	0
			3	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
89	L8	3	Total 3	Mg 3	0
89	LA	1	Total 1	Mg 1	0
89	LC	1	Total 1	Mg 1	0
89	LI	1	Total 1	Mg 1	0
89	LN	1	Total 1	Mg 1	0
89	LP	1	Total 1	Mg 1	0
89	LV	1	Total 1	Mg 1	0
89	Le	1	Total 1	Mg 1	0
89	S2	52	Total 52	Mg 52	0

- Molecule 90 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
90	Lg	1	Total 1	Zn 1	0
90	Lj	1	Total 1	Zn 1	0
90	Lm	1	Total 1	Zn 1	0
90	Lo	1	Total 1	Zn 1	0
90	Lp	1	Total 1	Zn 1	0
90	Sa	1	Total 1	Zn 1	0
90	Sd	1	Total 1	Zn 1	0
90	Sf	1	Total 1	Zn 1	0

- Molecule 91 is water.

Mol	Chain	Residues	Atoms		AltConf
91	L5	4	Total 4	O 4	0
91	L7	1	Total 1	O 1	0
91	LI	1	Total 1	O 1	0
91	La	1	Total 1	O 1	0
91	Lp	1	Total 1	O 1	0
91	S2	3	Total 3	O 3	0

MolProbity failed to run properly - this section is therefore empty.

3 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	44109	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	5.788	Depositor
Minimum map value	-3.146	Depositor
Average map value	0.008	Depositor
Map value standard deviation	0.134	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	465.28, 465.28, 465.28	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.727, 0.727, 0.727	Depositor

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LYO	CR	63	3	7,9,10	0.77	0	7,10,12	1.21	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LYO	CR	63	3	-	2/8/9/11	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	CR	63	LYO	CB-CG-CD	-2.22	107.72	112.42

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	CR	63	LYO	N-CA-CB-CG
3	CR	63	LYO	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

4.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 199 ligands modelled in this entry, 199 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


5 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-53232. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

5.1 Orthogonal projections [i](#)


5.1.1 Primary map



X




Y




Z


5.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

5.2 Central slices [i](#)


5.2.1 Primary map



X Index: 320




Y Index: 320




Z Index: 320


5.2.2 Raw map



X Index: 320



Y Index: 320




Z Index: 320


The images above show central slices of the map in three orthogonal directions.

5.3 Largest variance slices [i](#)


5.3.1 Primary map



X Index: 344




Y Index: 327




Z Index: 267


5.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

5.4 Orthogonal standard-deviation projections (False-color) [i](#)


5.4.1 Primary map



X




Y




Z


5.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


5.5 Orthogonal surface views [i](#)

5.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

5.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


5.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

6 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

6.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


6.2 Volume estimate [i](#)



The volume at the recommended contour level is 2773 nm^3 ; this corresponds to an approximate mass of 2505 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

6.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.389 Å⁻¹

7 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

7.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.389 \AA^{-1}

7.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.57	-	-
Author-provided FSC curve	2.57	2.97	2.62
Unmasked-calculated*	3.18	4.51	3.30

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.18 differs from the reported value 2.57 by more than 10 %


8 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-53232 and PDB model 9QLQ. Per-residue inclusion information can be found in section ?? on page ??.


8.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

8.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

8.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































8.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

8.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9630	 0.5830
CM	 0.9760	 0.5900
CP	 0.9800	 0.5630
CR	 0.8970	 0.4850
CZ	 0.7020	 0.2070
L5	 0.9860	 0.6000
L7	 0.9970	 0.6510
L8	 0.9880	 0.6180
LA	 0.9930	 0.6720
LB	 0.9850	 0.6480
LC	 0.9840	 0.6450
LD	 0.9820	 0.5990
LE	 0.9760	 0.5920
LF	 0.9790	 0.6520
LG	 0.9670	 0.5930
LH	 0.9890	 0.6240
LI	 0.9750	 0.6260
LJ	 0.9680	 0.5880
LL	 0.9780	 0.6190
LM	 0.9850	 0.6250
LN	 0.9950	 0.6740
LO	 0.9870	 0.6590
LP	 0.9850	 0.6580
LQ	 0.9950	 0.6660
LR	 0.9810	 0.6320
LS	 0.9890	 0.6540
LT	 0.9700	 0.6150
LU	 0.9450	 0.5140
LV	 0.9820	 0.6450
LW	 0.9310	 0.5110
LX	 0.9760	 0.6290
LY	 0.9780	 0.6200
LZ	 0.9820	 0.6250
La	 0.9910	 0.6630
Lb	 0.9450	 0.5660



























Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Lc	 0.9740	 0.6280
Ld	 0.9810	 0.6340
Le	 0.9930	 0.6620
Lf	 0.9830	 0.6640
Lg	 0.9800	 0.6290
Lh	 0.9860	 0.6250
Li	 0.9820	 0.6040
Lj	 0.9870	 0.6640
Lk	 0.9550	 0.5630
Ll	 0.9880	 0.6390
Lm	 0.9680	 0.6350
Ln	 0.9900	 0.6690
Lo	 0.9820	 0.6390
Lp	 0.9900	 0.6640
Lr	 0.9850	 0.6380
Ls	 0.7980	 0.2780
Lt	 0.9030	 0.3190
NA	 0.2140	 0.1110
NB	 0.3510	 0.2070
NM	 0.4040	 0.0800
S2	 0.9830	 0.5860
SA	 0.9760	 0.6140
SB	 0.9710	 0.6120
SC	 0.9830	 0.6260
SD	 0.9840	 0.5780
SE	 0.9820	 0.5990
SF	 0.9630	 0.5850
SG	 0.9800	 0.5190
SH	 0.9850	 0.5550
SI	 0.9850	 0.6070
SJ	 0.9820	 0.6050
SK	 0.9780	 0.5540
SL	 0.9890	 0.6420
SM	 0.8160	 0.2680
SN	 0.9890	 0.6440
SO	 0.9870	 0.6230
SP	 0.9730	 0.5550
SQ	 0.9700	 0.5970
SR	 0.9460	 0.5410
SS	 0.9630	 0.5690
ST	 0.9770	 0.5890
SU	 0.9610	 0.5310

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
SV	 0.9830	 0.6250
SW	 0.9890	 0.6540
SX	 0.9780	 0.6220
SY	 0.9810	 0.5640
SZ	 0.9740	 0.5610
Sa	 0.9840	 0.6240
Sb	 0.9640	 0.5730
Sc	 0.9280	 0.5250
Sd	 0.9880	 0.6310
Se	 0.9700	 0.5690
Sf	 0.8310	 0.2880
Sg	 0.9630	 0.5120