



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:43 AM UTC

PDB ID : 6QO1 / pdb_00006qo1
Title : Crystal structure of Borrelia (Borrelia) burgdorferi outer surface protein BBA69
Authors : Brangulis, K.; Akopjana, I.; Petrovskis, I.; Kazaks, A.; Tars, K.
Deposited on : 2019-02-12
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	192	 3% 66% 26% 5% .
1	B	192	 2% 59% 32% 5% . .
1	C	192	 2% 74% 20% 5% . .
1	D	192	 2% 65% 27% 5% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6201 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative surface protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	186	Total	C	N	O	S	0	0	0
			1534	967	257	309	1			
1	D	186	Total	C	N	O	S	0	0	0
			1534	967	257	309	1			
1	B	186	Total	C	N	O	S	0	0	0
			1534	967	257	309	1			
1	C	186	Total	C	N	O	S	0	0	0
			1534	967	257	309	1			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP O50958
A	2	ALA	-	expression tag	UNP O50958
A	3	MET	-	expression tag	UNP O50958
A	4	GLY	-	expression tag	UNP O50958
D	1	GLY	-	expression tag	UNP O50958
D	2	ALA	-	expression tag	UNP O50958
D	3	MET	-	expression tag	UNP O50958
D	4	GLY	-	expression tag	UNP O50958
B	1	GLY	-	expression tag	UNP O50958
B	2	ALA	-	expression tag	UNP O50958
B	3	MET	-	expression tag	UNP O50958
B	4	GLY	-	expression tag	UNP O50958
C	1	GLY	-	expression tag	UNP O50958
C	2	ALA	-	expression tag	UNP O50958
C	3	MET	-	expression tag	UNP O50958
C	4	GLY	-	expression tag	UNP O50958


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	14	Total 14	O 14	0	0
2	D	17	Total 17	O 17	0	0
2	B	17	Total 17	O 17	0	0
2	C	17	Total 17	O 17	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative surface protein




- Molecule 1: Putative surface protein




- Molecule 1: Putative surface protein



- Molecule 1: Putative surface protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	67.26Å 96.09Å 67.35Å 90.00° 105.83° 90.00°	Depositor
Resolution (Å)	40.62 – 2.25 40.62 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.6 (40.62-2.25) 99.8 (40.62-2.25)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.49 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.173 , 0.249 0.186 , 0.254	Depositor DCC
R_{free} test set	1983 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	18.4	Xtriage
Anisotropy	2.071	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	0.299 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6201	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.2620e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.56	7/1549 (0.5%)	1.88	24/2076 (1.2%)
1	B	1.39	5/1549 (0.3%)	1.65	9/2076 (0.4%)
1	C	1.22	2/1549 (0.1%)	1.68	8/2076 (0.4%)
1	D	1.32	5/1549 (0.3%)	1.73	16/2076 (0.8%)
All	All	1.38	19/6196 (0.3%)	1.74	57/8304 (0.7%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	87	TYR	C-N	-21.73	1.03	1.33
1	B	16	LYS	C-N	-19.01	1.06	1.33
1	A	86	ASN	C-N	-16.76	1.09	1.33
1	A	125	LYS	C-N	13.64	1.52	1.33
1	D	39	LEU	C-O	-6.48	1.16	1.24
1	A	83	LEU	C-O	-6.30	1.16	1.24
1	B	17	GLU	C-N	6.23	1.41	1.33
1	D	37	SER	C-O	-6.09	1.16	1.24
1	A	16	LYS	C-O	6.06	1.31	1.24
1	D	88	GLU	CA-C	5.82	1.61	1.53
1	C	114	LYS	C-O	5.54	1.30	1.24
1	A	183	ASP	C-O	5.51	1.30	1.23
1	D	24	GLN	C-O	5.46	1.30	1.24
1	D	34	ASN	C-O	-5.33	1.17	1.24
1	B	94	ALA	C-O	-5.20	1.18	1.24
1	B	16	LYS	C-O	5.20	1.30	1.24
1	C	11	LEU	C-O	5.16	1.30	1.24
1	A	69	LYS	C-O	5.12	1.30	1.24
1	B	52	GLU	C-O	5.11	1.29	1.24

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	ASN	N-CA-C	-17.83	80.33	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	123	LEU	N-CA-C	-15.79	88.87	110.35
1	A	125	LYS	CA-C-N	-14.28	98.37	122.64
1	A	125	LYS	C-N-CA	-14.28	98.37	122.64
1	D	124	SER	N-CA-C	13.79	127.05	110.91
1	D	125	LYS	CB-CA-C	-11.75	87.04	110.30
1	A	87	TYR	N-CA-C	10.27	125.17	112.23
1	A	89	ASN	N-CA-C	9.95	121.72	111.07
1	B	90	ASP	CA-C-N	9.09	129.28	119.28
1	B	90	ASP	C-N-CA	9.09	129.28	119.28
1	D	189	SER	N-CA-C	8.63	124.13	111.96
1	D	87	TYR	N-CA-C	8.42	123.75	110.70
1	A	123	LEU	CB-CA-C	8.39	124.64	109.62
1	D	126	GLU	N-CA-C	-8.16	95.42	108.73
1	A	26	ASP	O-C-N	6.84	129.21	122.09
1	D	189	SER	CB-CA-C	-6.72	98.99	110.88
1	A	86	ASN	CB-CA-C	6.68	122.12	109.37
1	B	42	THR	CB-CA-C	6.30	120.77	110.88
1	D	90	ASP	CA-C-N	6.26	126.17	119.28
1	D	90	ASP	C-N-CA	6.26	126.17	119.28
1	D	88	GLU	N-CA-C	-6.21	99.24	109.80
1	A	26	ASP	CA-C-N	6.04	128.29	120.56
1	A	26	ASP	C-N-CA	6.04	128.29	120.56
1	A	90	ASP	N-CA-C	6.03	123.13	109.81
1	C	90	ASP	CB-CA-C	5.82	121.64	110.17
1	D	108	LYS	N-CA-C	-5.81	104.94	111.28
1	A	95	ALA	CA-C-N	5.79	128.83	120.38
1	A	95	ALA	C-N-CA	5.79	128.83	120.38
1	A	12	LYS	CB-CA-C	5.78	120.38	110.79
1	A	124	SER	CB-CA-C	5.73	117.67	109.71
1	A	95	ALA	N-CA-C	5.71	117.17	111.07
1	A	87	TYR	CB-CA-C	-5.62	98.91	110.38
1	A	86	ASN	CA-C-N	5.57	130.14	120.68
1	A	86	ASN	C-N-CA	5.57	130.14	120.68
1	D	108	LYS	CB-CA-C	5.56	120.03	110.79
1	B	16	LYS	O-C-N	5.50	129.04	122.27
1	B	121	ASP	N-CA-CB	5.44	116.61	110.35
1	A	44	ILE	CA-C-N	5.38	128.02	120.28
1	A	44	ILE	C-N-CA	5.38	128.02	120.28
1	A	88	GLU	CA-C-N	5.35	127.39	120.44
1	A	88	GLU	C-N-CA	5.35	127.39	120.44
1	D	172	VAL	CA-C-N	5.29	127.82	120.63
1	D	172	VAL	C-N-CA	5.29	127.82	120.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	85	ASN	N-CA-C	5.26	118.72	112.72
1	C	87	TYR	CA-C-N	5.24	130.98	122.39
1	C	87	TYR	C-N-CA	5.24	130.98	122.39
1	B	12	LYS	CB-CA-C	5.20	119.04	110.88
1	B	172	VAL	CB-CA-C	-5.18	105.15	112.14
1	D	190	ALA	CA-C-O	-5.13	112.07	120.80
1	B	158	GLU	CB-CG-CD	5.09	121.25	112.60
1	D	131	ASP	CA-C-N	5.09	127.05	120.44
1	D	131	ASP	C-N-CA	5.09	127.05	120.44
1	C	131	ASP	CA-C-N	5.06	127.32	120.44
1	C	131	ASP	C-N-CA	5.06	127.32	120.44
1	C	140	LYS	CA-C-N	5.03	127.33	120.54
1	C	140	LYS	C-N-CA	5.03	127.33	120.54
1	C	51	ASN	CA-C-O	-5.02	116.27	121.99

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1534	0	1565	31	0
1	B	1534	0	1566	42	0
1	C	1534	0	1567	21	0
1	D	1534	0	1567	30	0
2	A	14	0	0	0	0
2	B	17	0	0	1	0
2	C	17	0	0	0	0
2	D	17	0	0	0	0
All	All	6201	0	6265	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:81:GLU:O	1:D:85:ASN:ND2	1.66	1.26
1:B:166:ASN:HB3	1:B:169:GLU:OE1	1.47	1.12
1:B:108:LYS:HE2	1:B:112:HIS:NE2	1.75	1.00
1:B:90:ASP:N	1:B:91:PRO:HD2	1.87	0.88
1:A:130:GLU:N	1:A:130:GLU:OE1	2.12	0.82
1:B:21:ARG:HH12	1:B:146:GLN:HE22	1.30	0.77
1:A:108:LYS:HE2	1:A:112:HIS:NE2	2.01	0.75
1:D:86:ASN:ND2	1:D:170:ASN:HB3	2.01	0.75
1:A:81:GLU:HG2	1:A:85:ASN:HD21	1.52	0.74
1:C:33:THR:HG23	1:C:36:GLU:H	1.54	0.73
1:A:81:GLU:HG2	1:A:85:ASN:ND2	2.07	0.69
1:C:33:THR:HG22	1:C:36:GLU:CD	2.18	0.69
1:D:82:LYS:HE3	1:D:160:TYR:OH	1.94	0.67
1:D:127:ASN:OD1	1:D:128:SER:N	2.26	0.67
1:B:130:GLU:OE1	1:B:130:GLU:N	2.28	0.67
1:B:7:THR:HG23	1:B:136:LEU:HD22	1.76	0.65
1:B:156:THR:OG1	1:B:176:HIS:HE1	1.79	0.65
1:C:84:ILE:HA	1:C:92:LYS:HD3	1.78	0.65
1:B:6:THR:HG23	1:B:9:SER:H	1.61	0.65
1:B:80:LEU:O	1:B:84:ILE:HG12	1.97	0.64
1:B:21:ARG:HH12	1:B:146:GLN:NE2	1.95	0.64
1:C:17:GLU:OE2	1:C:21:ARG:NE	2.29	0.63
1:C:39:LEU:HG	1:C:77:LYS:HE3	1.80	0.63
1:D:33:THR:HG23	1:D:36:GLU:H	1.63	0.62
1:C:90:ASP:HA	1:C:93:ILE:HD12	1.82	0.61
1:D:17:GLU:OE2	1:D:21:ARG:NE	2.29	0.60
1:B:166:ASN:CB	1:B:169:GLU:OE1	2.37	0.59
1:A:126:GLU:HG2	1:A:127:ASN:N	2.17	0.59
1:B:125:LYS:HZ2	1:B:125:LYS:HB3	1.68	0.58
1:A:156:THR:OG1	1:A:176:HIS:HE1	1.87	0.58
1:B:125:LYS:HB3	1:B:125:LYS:NZ	2.18	0.57
1:B:33:THR:CG2	1:B:35:GLU:HG2	2.33	0.57
1:A:28:GLN:NE2	1:A:28:GLN:HA	2.18	0.57
1:B:90:ASP:H	1:B:91:PRO:HD2	1.68	0.57
1:A:128:SER:HB2	1:A:131:ASP:OD1	2.05	0.57
1:D:124:SER:O	1:D:124:SER:OG	2.20	0.57
1:A:7:THR:HG23	1:A:136:LEU:HD22	1.87	0.56
1:C:33:THR:HG22	1:C:36:GLU:CG	2.35	0.56
1:B:90:ASP:HA	1:B:93:ILE:HD12	1.88	0.55
1:A:163:ASN:HB2	1:A:168:GLN:OE1	2.07	0.55
1:B:81:GLU:O	1:B:85:ASN:ND2	2.40	0.55
1:D:123:LEU:HD11	1:B:41:ASP:CG	2.32	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:153:LEU:HA	1:D:181:TYR:OH	2.07	0.54
1:C:114:LYS:O	1:C:118:GLU:HG3	2.08	0.54
1:B:108:LYS:HD3	1:B:142:ALA:HB2	1.90	0.53
1:B:90:ASP:N	1:B:91:PRO:CD	2.67	0.53
1:A:90:ASP:N	1:A:91:PRO:HD2	2.24	0.52
1:D:70:LYS:NZ	1:D:74:GLU:OE2	2.41	0.52
1:B:33:THR:HG22	1:B:36:GLU:H	1.73	0.52
1:B:50:ALA:O	1:B:55:LYS:HE3	2.10	0.52
1:B:61:PHE:CD2	1:B:106:GLN:HG2	2.45	0.51
1:C:90:ASP:N	1:C:91:PRO:CD	2.73	0.51
1:C:110:GLU:OE1	1:C:110:GLU:HA	2.10	0.51
1:B:153:LEU:O	1:B:157:LEU:HD13	2.11	0.51
1:A:84:ILE:O	1:A:84:ILE:HG22	2.11	0.51
1:C:43:TYR:HB3	1:C:99:TYR:OH	2.10	0.51
1:C:33:THR:HG23	1:C:36:GLU:N	2.24	0.50
1:A:179:LYS:O	1:A:186:SER:HB3	2.10	0.50
1:B:56:MET:HG3	1:B:60:ARG:NH1	2.26	0.49
1:A:28:GLN:HA	1:A:28:GLN:HE21	1.76	0.49
1:C:125:LYS:NZ	1:C:125:LYS:HB3	2.26	0.49
1:B:12:LYS:NZ	1:B:16:LYS:HB2	2.27	0.49
1:A:51:ASN:C	1:A:51:ASN:OD1	2.55	0.49
1:D:123:LEU:O	1:D:123:LEU:HG	2.12	0.48
1:D:90:ASP:N	1:D:91:PRO:HD2	2.29	0.48
1:D:15:GLY:O	1:D:19:GLU:HG3	2.14	0.48
1:A:93:ILE:HG12	1:B:48:GLU:O	2.14	0.48
1:A:56:MET:HE2	1:A:56:MET:HA	1.95	0.47
1:C:106:GLN:OE1	1:C:106:GLN:HA	2.13	0.47
1:A:61:PHE:CD2	1:A:106:GLN:HG2	2.48	0.47
1:D:90:ASP:HA	1:D:93:ILE:HD12	1.96	0.47
1:D:86:ASN:ND2	1:D:170:ASN:C	2.72	0.47
1:B:43:TYR:OH	1:B:81:GLU:OE1	2.27	0.46
1:B:86:ASN:HB3	1:B:91:PRO:HG3	1.97	0.46
1:B:149:PHE:CD1	1:B:149:PHE:C	2.93	0.46
1:B:56:MET:HA	1:B:56:MET:HE2	1.98	0.46
1:A:56:MET:HG3	1:A:60:ARG:NH1	2.31	0.46
1:C:104:ASP:OD2	1:C:108:LYS:HE2	2.15	0.46
1:D:50:ALA:O	1:D:55:LYS:HE3	2.16	0.45
1:B:83:LEU:HD21	1:B:173:LEU:HG	1.98	0.45
1:C:50:ALA:O	1:C:55:LYS:HE3	2.17	0.45
1:A:122:THR:C	1:A:123:LEU:O	2.46	0.45
1:D:82:LYS:NZ	1:D:168:GLN:O	2.45	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:106:GLN:HA	1:D:106:GLN:OE1	2.16	0.45
1:A:50:ALA:O	1:A:55:LYS:HE2	2.16	0.45
1:A:83:LEU:O	1:A:91:PRO:HB2	2.17	0.44
1:D:86:ASN:CG	1:D:170:ASN:HB3	2.42	0.44
1:D:52:GLU:OE1	1:B:125:LYS:HE2	2.17	0.44
1:B:33:THR:HG21	1:B:35:GLU:HG2	2.01	0.43
1:A:86:ASN:ND2	1:A:91:PRO:HG3	2.33	0.43
1:D:87:TYR:C	1:D:87:TYR:CD1	2.95	0.43
1:A:90:ASP:N	1:A:90:ASP:OD1	2.51	0.43
1:C:150:LYS:O	1:C:154:ASN:ND2	2.50	0.43
1:A:48:GLU:O	1:B:93:ILE:HG12	2.18	0.43
1:D:160:TYR:O	1:D:168:GLN:NE2	2.52	0.43
1:D:180:TYR:HE1	1:D:190:ALA:C	2.27	0.42
1:B:59:LYS:NZ	2:B:201:HOH:O	2.44	0.42
1:D:33:THR:HG22	1:D:36:GLU:CD	2.44	0.42
1:A:88:GLU:HG2	1:A:91:PRO:CD	2.49	0.42
1:D:84:ILE:O	1:D:84:ILE:HG22	2.19	0.42
1:C:44:ILE:HG23	1:C:58:LEU:HD23	2.02	0.42
1:D:90:ASP:N	1:D:91:PRO:CD	2.82	0.42
1:C:17:GLU:OE2	1:C:21:ARG:NH2	2.51	0.42
1:B:166:ASN:ND2	1:B:169:GLU:OE1	2.53	0.41
1:A:88:GLU:HG2	1:A:91:PRO:HD2	2.02	0.41
1:B:7:THR:HG23	1:B:136:LEU:CD2	2.48	0.41
1:D:58:LEU:HD21	1:D:99:TYR:HB3	2.03	0.41
1:D:148:LYS:HD2	1:D:148:LYS:HA	1.89	0.41
1:C:137:GLU:HA	1:C:137:GLU:OE1	2.21	0.41
1:A:49:LEU:HD22	1:B:49:LEU:HD22	2.02	0.41
1:D:110:GLU:HA	1:D:110:GLU:OE1	2.21	0.41
1:B:178:ASN:O	1:B:182:LYS:HB2	2.21	0.41
1:C:15:GLY:O	1:C:19:GLU:HG3	2.21	0.41
1:A:43:TYR:HB3	1:A:99:TYR:OH	2.21	0.41
1:A:149:PHE:CD2	1:A:149:PHE:C	2.99	0.40
1:B:67:ASP:O	1:B:69:LYS:N	2.54	0.40
1:B:71:GLU:H	1:B:71:GLU:HG3	1.69	0.40
1:A:106:GLN:HA	1:A:106:GLN:OE1	2.21	0.40
1:D:103:LEU:O	1:D:107:LEU:HG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	184/192 (96%)	174 (95%)	10 (5%)	0	100	100
1	B	184/192 (96%)	174 (95%)	10 (5%)	0	100	100
1	C	184/192 (96%)	172 (94%)	12 (6%)	0	100	100
1	D	184/192 (96%)	172 (94%)	12 (6%)	0	100	100
All	All	736/768 (96%)	692 (94%)	44 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/175 (98%)	158 (92%)	14 (8%)	11	9
1	B	172/175 (98%)	147 (86%)	25 (14%)	3	1
1	C	172/175 (98%)	158 (92%)	14 (8%)	11	9
1	D	172/175 (98%)	153 (89%)	19 (11%)	6	4
All	All	688/700 (98%)	616 (90%)	72 (10%)	6	4

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LYS
1	A	17	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	64	SER
1	A	77	LYS
1	A	84	ILE
1	A	127	ASN
1	A	131	ASP
1	A	141	SER
1	A	157	LEU
1	A	168	GLN
1	A	169	GLU
1	A	175	GLU
1	A	185	ASP
1	A	189	SER
1	D	7	THR
1	D	12	LYS
1	D	17	GLU
1	D	84	ILE
1	D	88	GLU
1	D	89	ASN
1	D	92	LYS
1	D	101	ILE
1	D	111	LYS
1	D	125	LYS
1	D	126	GLU
1	D	128	SER
1	D	130	GLU
1	D	138	GLN
1	D	145	LEU
1	D	157	LEU
1	D	169	GLU
1	D	175	GLU
1	D	178	ASN
1	B	12	LYS
1	B	27	ILE
1	B	29	ILE
1	B	33	THR
1	B	35	GLU
1	B	42	THR
1	B	52	GLU
1	B	71	GLU
1	B	77	LYS
1	B	88	GLU
1	B	89	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	90	ASP
1	B	123	LEU
1	B	125	LYS
1	B	127	ASN
1	B	128	SER
1	B	141	SER
1	B	145	LEU
1	B	155	LYS
1	B	165	ASN
1	B	169	GLU
1	B	175	GLU
1	B	184	SER
1	B	186	SER
1	B	189	SER
1	C	17	GLU
1	C	77	LYS
1	C	123	LEU
1	C	125	LYS
1	C	126	GLU
1	C	127	ASN
1	C	128	SER
1	C	129	LYS
1	C	137	GLU
1	C	138	GLN
1	C	145	LEU
1	C	155	LYS
1	C	169	GLU
1	C	178	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	28	GLN
1	A	53	ASN
1	A	85	ASN
1	A	89	ASN
1	A	127	ASN
1	A	138	GLN
1	A	170	ASN
1	A	176	HIS
1	A	178	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	86	ASN
1	D	112	HIS
1	D	138	GLN
1	D	165	ASN
1	D	170	ASN
1	D	176	HIS
1	B	89	ASN
1	B	146	GLN
1	B	154	ASN
1	B	176	HIS
1	B	178	ASN
1	C	127	ASN
1	C	138	GLN
1	C	176	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	86:ASN	C	87:TYR	N	1.09
1	B	16:LYS	C	17:GLU	N	1.06
1	A	87:TYR	C	88:GLU	N	1.03

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	186/192 (96%)	-0.24	5 (2%) 56 57	19, 36, 68, 97	0
1	B	186/192 (96%)	-0.32	3 (1%) 70 71	20, 37, 72, 124	0
1	C	186/192 (96%)	-0.39	4 (2%) 62 63	18, 33, 79, 126	0
1	D	186/192 (96%)	-0.31	4 (2%) 62 63	19, 35, 70, 112	0
All	All	744/768 (96%)	-0.31	16 (2%) 62 63	18, 35, 73, 126	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	88	GLU	6.2
1	A	87	TYR	5.8
1	A	89	ASN	4.2
1	B	87	TYR	3.3
1	A	86	ASN	3.1
1	D	127	ASN	3.0
1	C	190	ALA	3.0
1	C	87	TYR	2.8
1	D	5	GLY	2.6
1	D	129	LYS	2.6
1	B	85	ASN	2.5
1	A	95	ALA	2.4
1	D	87	TYR	2.3
1	B	89	ASN	2.2
1	C	124	SER	2.2
1	C	88	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.