



# wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 4, 2026 – 10:57 PM UTC

PDB ID : 9RG4 / pdb\_00009rg4  
Title : Unspecific peroxygenase from *Psathyrella aberdarensis*, Grogue variant, in complex with 5-formyl-2-furoic acid  
Authors : Fernandez-Garcia, A.; Sanz-Aparicio, J.  
Deposited on : 2025-06-05  
Resolution : 1.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 93%, green 7%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>93%</span> <span>7%</span> </div> </div>
1	B	334	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 92%, green 8%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>92%</span> <span>8%</span> </div> </div>
2	C	2	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 50%, green 50%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>50%</span> <span>50%</span> </div> </div>
2	D	2	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 100%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>100%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	A1JHS	B	401	-	X	-	-
3	NAG	B	413	-	-	X	-
5	PEG	A	406	-	-	X	-
5	PEG	A	409	-	-	X	-
6	GOL	A	404	-	-	X	-
6	GOL	A	405	-	-	X	-
6	GOL	B	411	-	-	X	-
6	GOL	B	412	-	-	X	-

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 6606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Heme-thiolate peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	334	Total	C	N	O	S	0	5	0
			2613	1669	440	497	7			
1	B	334	Total	C	N	O	S	0	5	0
			2612	1669	439	497	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	61	ALA	SER	engineered mutation	UNP A0A4Q2DF39
A	79	ILE	LEU	engineered mutation	UNP A0A4Q2DF39
A	252	LEU	ALA	engineered mutation	UNP A0A4Q2DF39
B	61	ALA	SER	engineered mutation	UNP A0A4Q2DF39
B	79	ILE	LEU	engineered mutation	UNP A0A4Q2DF39
B	252	LEU	ALA	engineered mutation	UNP A0A4Q2DF39

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	D	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula:  $C_6H_{13}NO_4S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
4	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula:  $C_4H_{10}O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ETHANOL (CCD ID: EOH) (formula:  $C_2H_6O$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			3	2	1		
7	B	1	Total	C	O	0	0
			3	2	1		

- Molecule 8 is Mesocheme (CCD ID: MH0) (formula:  $C_{34}H_{36}FeN_4O_4$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
							0	0


- Molecule 9 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Mg		
			1	1	0	0
9	B	1	Total	Mg		
			1	1	0	0

- Molecule 10 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	10	Total	Zn		
			10	10	0	0
10	B	5	Total	Zn		
			5	5	0	0

- Molecule 11 is PHOSPHATE ION (CCD ID: PO4) (formula: O<sub>4</sub>P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	O	P		
			5	4	1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 12 is 5-Formyl-2-furancarboxylic Acid (CCD ID: A1JHS) (formula:  $C_6H_4O_4$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	C	O	0	0
			10	6	4		
12	B	1	Total	C	O	0	0
			10	6	4		

- Molecule 13 is beta-D-mannopyranose (CCD ID: BMA) (formula:  $C_6H_{12}O_6$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	B	1	Total	C	O	0	0
			11	6	5		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	480	Total	O	0	0
			480	480		
14	B	490	Total	O	0	0
			490	490		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Heme-thiolate peroxidase




- Molecule 1: Heme-thiolate peroxidase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.50Å 76.50Å 273.21Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.60 – 1.70 47.60 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.60-1.70) 98.5 (47.60-1.70)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.00 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, $R_{free}$	0.153 , 0.180 0.163 , 0.188	Depositor DCC
$R_{free}$ test set	4772 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.2	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 37.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.048 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	6606	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1JHS, BMA, GOL, MH0, EOH, MG, NAG, ZN, PEG, MES, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/2704	0.86	0/3687
1	B	0.53	0/2703	0.87	0/3687
All	All	0.53	0/5407	0.87	0/7374

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2613	0	2481	42	0
1	B	2612	0	2483	51	0
2	C	28	0	25	0	0
2	D	28	0	25	0	0
3	A	28	0	26	8	0
3	B	84	0	75	15	0
4	A	12	0	13	1	0
4	B	12	0	13	0	0
5	A	21	0	30	12	0
6	A	24	0	32	12	0
6	B	24	0	32	16	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	3	0	6	0	0
7	B	3	0	6	0	0
8	A	43	0	34	4	0
8	B	43	0	34	1	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
10	A	10	0	0	0	1
10	B	5	0	0	0	0
11	A	5	0	0	0	0
11	B	5	0	0	0	0
12	B	20	0	0	2	0
13	B	11	0	10	1	0
14	A	480	0	0	27	4
14	B	490	0	0	23	5
All	All	6606	0	5325	116	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 116 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:ASN:HD21	3:B:409:NAG:C1	0.92	1.51
1:A:291:ASN:HD21	3:A:407:NAG:C1	1.24	1.47
1:B:291:ASN:ND2	3:B:413:NAG:C1	1.97	1.27
1:A:75:HIS:HD2	14:A:779:HOH:O	1.20	1.22
1:B:75:HIS:HD2	14:B:836:HOH:O	1.29	1.15

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:A:423:ZN:ZN	14:B:532:HOH:O[5_545]	1.49	0.71
14:A:649:HOH:O	14:B:915:HOH:O[5_545]	1.69	0.51
14:A:777:HOH:O	14:B:532:HOH:O[5_545]	1.74	0.46
14:A:872:HOH:O	14:B:915:HOH:O[5_545]	2.12	0.08
14:A:576:HOH:O	14:B:577:HOH:O[5_555]	2.15	0.05

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/334 (101%)	324 (96%)	12 (4%)	1 (0%)	36	22
1	B	337/334 (101%)	322 (96%)	14 (4%)	1 (0%)	36	22
All	All	674/668 (101%)	646 (96%)	26 (4%)	2 (0%)	36	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	244	SER
1	B	244	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/274 (102%)	278 (100%)	1 (0%)	84	80
1	B	279/274 (102%)	278 (100%)	1 (0%)	84	80
All	All	558/548 (102%)	556 (100%)	2 (0%)	84	80

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	ARG
1	B	173	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	241	GLN
1	A	291	ASN
1	B	145	ASN
1	B	241	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAG	C	1	2,1	14,14,15	0.30	0	17,19,21	0.83	0
2	NAG	C	2	2	14,14,15	0.38	0	17,19,21	1.34	2 (11%)
2	NAG	D	1	2,1	14,14,15	0.35	0	17,19,21	1.12	2 (11%)
2	NAG	D	2	2	14,14,15	0.35	0	17,19,21	1.08	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	NAG	C2-N2-C7	3.88	128.09	122.90
2	C	2	NAG	C1-O5-C5	-2.94	108.25	112.19
2	D	2	NAG	C1-C2-N2	2.89	114.99	110.43
2	D	2	NAG	O4-C4-C3	-2.46	104.58	110.38
2	D	1	NAG	O5-C1-C2	2.40	115.01	111.29

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 47 ligands modelled in this entry, 17 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
11	PO4	A	424	-	4,4,4	1.14	1 (25%)	6,6,6	0.53	0
3	NAG	B	413	-	14,14,15	0.30	0	17,19,21	0.75	0
6	GOL	A	404	-	5,5,5	0.17	0	5,5,5	0.47	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	GOL	B	405	-	5,5,5	0.17	0	5,5,5	0.30	0
5	PEG	A	403	-	6,6,6	0.19	0	5,5,5	0.14	0
6	GOL	B	412	-	5,5,5	0.23	0	5,5,5	0.58	0
5	PEG	A	409	-	6,6,6	0.31	0	5,5,5	0.12	0
6	GOL	A	408	-	5,5,5	0.18	0	5,5,5	0.48	0
8	MH0	A	412	9,14,1	50,50,50	1.56	8 (16%)	68,82,82	1.93	20 (29%)
5	PEG	A	406	-	6,6,6	0.42	0	5,5,5	0.36	0
6	GOL	B	411	-	5,5,5	0.13	0	5,5,5	0.44	0
13	BMA	B	415	3	11,11,12	0.64	0	15,15,17	0.86	1 (6%)
4	MES	A	402	-	12,12,12	0.82	0	15,16,16	1.33	1 (6%)
12	A1JHS	B	401	-	10,10,10	1.94	2 (20%)	12,13,13	3.26	6 (50%)
6	GOL	B	408	-	5,5,5	0.21	0	5,5,5	0.48	0
8	MH0	B	414	9,14,1	50,50,50	1.62	9 (18%)	68,82,82	2.01	22 (32%)
6	GOL	A	411	-	5,5,5	0.17	0	5,5,5	0.35	0
3	NAG	A	407	1	14,14,15	0.34	0	17,19,21	1.45	3 (17%)
3	NAG	A	401	-	14,14,15	0.36	0	17,19,21	1.34	3 (17%)
3	NAG	B	406	3,1	14,14,15	0.49	0	17,19,21	1.70	4 (23%)
11	PO4	B	423	-	4,4,4	1.05	0	6,6,6	0.48	0
3	NAG	B	407	3	14,14,15	0.30	0	17,19,21	0.64	0
4	MES	B	404	-	12,12,12	0.92	0	15,16,16	0.60	0
3	NAG	B	403	1	14,14,15	0.43	0	17,19,21	2.05	2 (11%)
3	NAG	B	409	3,1	14,14,15	0.54	0	17,19,21	1.05	1 (5%)
7	EOH	B	417	-	2,2,2	0.03	0	1,1,1	0.08	0
12	A1JHS	B	402	-	10,10,10	1.47	2 (20%)	12,13,13	3.21	7 (58%)
7	EOH	A	410	-	2,2,2	0.22	0	1,1,1	0.19	0
3	NAG	B	410	13,3	14,14,15	0.35	0	17,19,21	1.42	3 (17%)
6	GOL	A	405	-	5,5,5	0.19	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	413	-	-	2/6/23/26	0/1/1/1
6	GOL	A	404	-	-	0/4/4/4	-
6	GOL	B	405	-	-	0/4/4/4	-
5	PEG	A	403	-	-	0/4/4/4	-
6	GOL	B	412	-	-	1/4/4/4	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	409	-	-	3/4/4/4	-
6	GOL	A	408	-	-	2/4/4/4	-
8	MH0	A	412	9,14,1	-	6/14/54/54	-
5	PEG	A	406	-	-	2/4/4/4	-
6	GOL	B	411	-	-	2/4/4/4	-
13	BMA	B	415	3	-	0/2/19/22	0/1/1/1
4	MES	A	402	-	-	0/6/14/14	0/1/1/1
12	A1JHS	B	401	-	-	6/6/6/6	0/1/1/1
6	GOL	B	408	-	-	3/4/4/4	-
8	MH0	B	414	9,14,1	-	6/14/54/54	-
6	GOL	A	411	-	-	1/4/4/4	-
3	NAG	A	407	1	-	0/6/23/26	0/1/1/1
3	NAG	A	401	-	-	0/6/23/26	0/1/1/1
3	NAG	B	406	3,1	-	0/6/23/26	0/1/1/1
3	NAG	B	407	3	-	2/6/23/26	0/1/1/1
4	MES	B	404	-	-	1/6/14/14	0/1/1/1
3	NAG	B	403	1	-	0/6/23/26	0/1/1/1
3	NAG	B	409	3,1	-	0/6/23/26	0/1/1/1
12	A1JHS	B	402	-	-	2/6/6/6	0/1/1/1
3	NAG	B	410	13,3	-	2/6/23/26	0/1/1/1
6	GOL	A	405	-	-	4/4/4/4	-

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	412	MH0	CBC-CAC	-4.93	1.30	1.51
8	B	414	MH0	CBC-CAC	-4.75	1.31	1.51
8	A	412	MH0	CBB-CAB	-4.73	1.31	1.51
12	B	401	A1JHS	CAG-CAD	4.69	1.53	1.44
8	B	414	MH0	CBB-CAB	-4.26	1.33	1.51

The worst 5 of 73 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	403	NAG	O5-C1-C2	7.51	122.91	111.29
12	B	401	A1JHS	OAE-CAD-CAG	6.94	127.54	118.33
12	B	402	A1JHS	OAE-CAD-CAG	6.93	127.52	118.33
12	B	402	A1JHS	OAE-CAA-CAB	-5.15	103.71	109.68
12	B	401	A1JHS	OAE-CAA-CAB	-5.05	103.83	109.68

There are no chirality outliers.

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	407	NAG	C8-C7-N2-C2
3	B	407	NAG	O7-C7-N2-C2
3	B	413	NAG	C8-C7-N2-C2
4	B	404	MES	C8-C7-N4-C5
6	A	405	GOL	O1-C1-C2-C3


There are no ring outliers.

20 monomers are involved in 71 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	413	NAG	7	0
6	A	404	GOL	5	0
6	B	405	GOL	1	0
6	B	412	GOL	8	0
5	A	409	PEG	4	0
6	A	408	GOL	2	0
8	A	412	MH0	4	0
5	A	406	PEG	8	0
6	B	411	GOL	7	0
13	B	415	BMA	1	0
4	A	402	MES	1	0
8	B	414	MH0	1	0
6	A	411	GOL	1	0
3	A	407	NAG	6	0
3	A	401	NAG	2	0
3	B	406	NAG	1	0
3	B	409	NAG	5	0
12	B	402	A1JHS	2	0
3	B	410	NAG	3	0
6	A	405	GOL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand A1JHS B 401



## Ligand MH0 B 414





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	334/334 (100%)	-0.17	4 (1%) 76 80	12, 22, 34, 83	5 (1%)
1	B	334/334 (100%)	-0.07	3 (0%) 81 83	12, 23, 35, 76	5 (1%)
All	All	668/668 (100%)	-0.12	7 (1%) 79 82	12, 23, 35, 83	10 (1%)

The worst 5 of 7 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	LEU	6.7
1	A	1	LEU	5.8
1	B	334	LEU	4.1
1	A	2	ASN	3.6
1	A	334	LEU	2.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	D	2	14/15	0.71	0.17	44,51,57,57	0
2	NAG	C	2	14/15	0.73	0.14	38,43,48,48	0
2	NAG	C	1	14/15	0.83	0.13	30,32,40,44	0
2	NAG	D	1	14/15	0.94	0.08	26,29,34,36	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
13	BMA	B	415	11/12	0.44	0.17	52,54,56,57	0
3	NAG	B	413	14/15	0.55	0.17	48,52,56,62	0
3	NAG	A	401	14/15	0.55	0.21	55,57,62,62	0
12	A1JHS	B	402	10/10	0.56	0.19	35,38,42,44	0
3	NAG	B	407	14/15	0.61	0.17	43,50,55,56	0
7	EOH	B	417	3/3	0.61	0.24	36,36,38,38	0
5	PEG	A	409	7/7	0.62	0.19	34,36,37,41	0
3	NAG	B	410	14/15	0.63	0.18	43,49,58,63	0
6	GOL	B	408	6/6	0.68	0.16	38,39,41,41	0
11	PO4	A	424	5/5	0.69	0.15	42,43,49,50	0
6	GOL	A	411	6/6	0.70	0.16	41,41,42,43	0
3	NAG	B	409	14/15	0.73	0.17	34,37,43,45	0
6	GOL	B	405	6/6	0.75	0.15	36,38,41,42	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	EOH	A	410	3/3	0.75	0.19	37,37,37,39	0
11	PO4	B	423	5/5	0.76	0.16	42,45,50,50	0
12	A1JHS	B	401	10/10	0.76	0.16	36,39,41,43	0
6	GOL	A	405	6/6	0.77	0.18	24,32,35,41	0
6	GOL	B	411	6/6	0.77	0.14	35,39,41,42	0
6	GOL	A	408	6/6	0.77	0.14	35,37,39,40	0
6	GOL	A	404	6/6	0.79	0.13	36,38,40,42	0
6	GOL	B	412	6/6	0.80	0.15	33,36,37,39	0
3	NAG	A	407	14/15	0.80	0.13	45,49,54,54	0
5	PEG	A	403	7/7	0.82	0.15	34,36,39,42	0
3	NAG	B	403	14/15	0.83	0.12	33,38,43,47	0
5	PEG	A	406	7/7	0.86	0.14	31,32,38,39	0
10	ZN	B	421	1/1	0.90	0.37	57,57,57,57	0
3	NAG	B	406	14/15	0.90	0.10	31,33,35,38	0
10	ZN	A	416	1/1	0.91	0.09	41,41,41,41	0
10	ZN	A	419	1/1	0.93	0.07	32,32,32,32	0
10	ZN	A	421	1/1	0.93	0.34	53,53,53,53	0
4	MES	A	402	12/12	0.95	0.12	23,32,35,35	0
4	MES	B	404	12/12	0.95	0.12	21,33,38,38	0
10	ZN	A	414	1/1	0.96	0.10	41,41,41,41	0
10	ZN	A	417	1/1	0.96	0.06	36,36,36,36	0
10	ZN	A	418	1/1	0.97	0.04	30,30,30,30	0
10	ZN	A	415	1/1	0.98	0.04	27,27,27,27	0
8	MH0	B	414	43/43	0.98	0.06	18,20,24,31	0
10	ZN	A	420	1/1	0.98	0.07	37,37,37,37	0
8	MH0	A	412	43/43	0.98	0.06	16,18,22,26	0
10	ZN	B	418	1/1	0.98	0.23	43,43,43,43	0
10	ZN	B	420	1/1	0.98	0.07	41,41,41,41	0
10	ZN	B	419	1/1	0.99	0.07	36,36,36,36	0
10	ZN	A	422	1/1	0.99	0.02	22,22,22,22	0
10	ZN	A	423	1/1	0.99	0.04	33,33,33,33	0
9	MG	A	413	1/1	0.99	0.16	10,10,10,10	0
10	ZN	B	422	1/1	1.00	0.02	23,23,23,23	0
9	MG	B	416	1/1	1.00	0.13	10,10,10,10	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around A1JHS B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around A1JHS B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN B 421:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around ZN A 416:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 419:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN A 421:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around ZN A 414:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ZN A 417:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 418:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN A 415:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MH0 B 414:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 420:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MH0 A 412:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN B 418:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around ZN B 420:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ZN B 419:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN A 422:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ZN A 423:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around MG A 413:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ZN B 422:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MG B 416:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

There are no such residues in this entry.