



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:53 PM UTC

PDB ID : 9UC4 / pdb\_00009uc4  
Title : Crystal structure of voltage-gated sodium channel NavAb  
N49K/S178T/T206A mutant  
Authors : Irie, K.; Maeda, Y.; Kojima, K.  
Deposited on : 2025-04-03  
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1001 (3.44-3.36)
Clashscore	190562	1022 (3.44-3.36)
Ramachandran outliers	187476	1012 (3.44-3.36)
Sidechain outliers	187428	1012 (3.44-3.36)
RSRZ outliers	180081	1001 (3.44-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	<div> <div>24%</div> <div>62%</div> <div>23%</div> <div>15%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CA	A	1302	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 2342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ion transport protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	0	0
			1869	1273	281	303	12			


There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	997	GLY	-	expression tag	UNP A8EVM5
A	998	SER	-	expression tag	UNP A8EVM5
A	999	GLY	-	expression tag	UNP A8EVM5
A	1000	SER	-	expression tag	UNP A8EVM5
A	1049	LYS	ASN	engineered mutation	UNP A8EVM5
A	1178	THR	SER	engineered mutation	UNP A8EVM5
A	1206	ALA	THR	engineered mutation	UNP A8EVM5

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Ca	0	0
			3	3		

- Molecule 3 is CHAPSO (CCD ID: 1N7) (formula: C<sub>32</sub>H<sub>59</sub>N<sub>2</sub>O<sub>8</sub>S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			43	32	2	8	1		

- Molecule 4 is DODECYL-BETA-D-MALTOSIDE (CCD ID: LMT) (formula:  $C_{24}H_{46}O_{11}$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			35	24	11		

- Molecule 5 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PX4) (formula:  $C_{36}H_{73}NO_8P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		
5	A	1	Total	C	N	O	P	0	0
			46	36	1	8	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	24	Total	O	0	0
			24	24		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ion transport protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	128.71 Å   128.71 Å   201.97 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	45.51 – 3.40 45.51 – 3.40	Depositor EDS
% Data completeness (in resolution range)	92.2 (45.51-3.40) 92.2 (45.51-3.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.27 (at 2.91 Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, $R_{free}$	0.279   ,   0.312 0.280   ,   0.324	Depositor DCC
$R_{free}$ test set	556 reflections (4.31%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	97.5	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.24 , 50.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.81	EDS
Total number of atoms	2342	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	109.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PX4, CA, 1N7, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.20	0/1920	0.44	0/2609

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1869	0	1958	45	5
2	A	3	0	0	0	0
3	A	43	0	59	3	1
4	A	35	0	45	1	0
5	A	368	0	576	13	5
6	A	24	0	0	0	0
All	All	2342	0	2638	56	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (56) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1110:VAL:HG23	1:A:1116:MET:HB3	1.55	0.85
5:A:1312:PX4:H33	5:A:1312:PX4:H61	1.71	0.73
1:A:1076:TRP:HE1	5:A:1306:PX4:H12	1.57	0.69
1:A:1184:VAL:HG22	1:A:1198:PHE:CD2	2.27	0.69
1:A:1184:VAL:HG22	1:A:1198:PHE:HD2	1.58	0.68
5:A:1311:PX4:H32	5:A:1311:PX4:H65	1.77	0.67
1:A:1087:SER:OG	1:A:1105:ARG:NH2	2.28	0.65
1:A:1143:ILE:HG22	1:A:1147:MET:HE2	1.79	0.63
5:A:1306:PX4:H25	5:A:1307:PX4:H57	1.81	0.62
1:A:1032:GLU:HA	1:A:1038:MET:HE3	1.80	0.61
1:A:1179:TRP:O	1:A:1184:VAL:HG23	2.02	0.60
1:A:1083:VAL:HG11	1:A:1105:ARG:HA	1.85	0.58
5:A:1306:PX4:H53	5:A:1307:PX4:H19	1.87	0.55
1:A:1099:ARG:HG3	1:A:1102:ARG:NH1	2.22	0.55
1:A:1184:VAL:HG12	1:A:1188:MET:HE2	1.90	0.54
1:A:1059:GLU:OE2	1:A:1108:ARG:NH1	2.41	0.53
1:A:1028:THR:O	1:A:1032:GLU:HG3	2.08	0.53
1:A:1066:VAL:HG12	1:A:1067:HIS:CD2	2.44	0.53
1:A:1116:MET:HE3	3:A:1304:1N7:H16	1.91	0.52
1:A:1209:MET:HG3	4:A:1305:LMT:H6'1	1.92	0.52
1:A:1027:ILE:HG12	5:A:1312:PX4:H63	1.92	0.52
1:A:1082:PHE:CZ	5:A:1308:PX4:H63	2.46	0.51
1:A:1016:LYS:HD3	1:A:1019:ILE:HD12	1.92	0.51
1:A:1066:VAL:HG12	1:A:1067:HIS:HD2	1.75	0.50
1:A:1197:PHE:HD1	5:A:1313:PX4:H64	1.76	0.50
5:A:1307:PX4:H53	5:A:1308:PX4:H31	1.94	0.50
1:A:1210:ILE:O	1:A:1214:VAL:HG23	2.12	0.50
1:A:1197:PHE:HD2	1:A:1198:PHE:CD1	2.30	0.50
1:A:1025:ASN:HD21	1:A:1105:ARG:HH11	1.59	0.49
1:A:1067:HIS:HB2	1:A:1070:SER:OG	2.12	0.49
1:A:1038:MET:HE1	1:A:1045:THR:HG21	1.95	0.48
1:A:1056:PHE:O	1:A:1060:ILE:HD12	2.13	0.48
5:A:1306:PX4:H21	5:A:1307:PX4:H50	1.95	0.48
1:A:1021:LEU:HD11	1:A:1052:VAL:HG12	1.96	0.47
1:A:1105:ARG:O	1:A:1108:ARG:HG2	2.14	0.47
1:A:1128:PRO:HA	1:A:1131:LEU:HG	1.96	0.47
1:A:1110:VAL:CG2	1:A:1116:MET:HB3	2.36	0.47
1:A:1084:VAL:O	1:A:1088:LEU:HB2	2.15	0.47
1:A:1099:ARG:HG3	1:A:1102:ARG:HH12	1.80	0.46
1:A:1005:ILE:HA	1:A:1008:ILE:HG12	1.98	0.46
1:A:1097:ILE:HG13	1:A:1098:LEU:HD22	1.97	0.45
1:A:1060:ILE:HD11	1:A:1108:ARG:HH22	1.82	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1107:PHE:O	1:A:1110:VAL:HG12	2.15	0.45
1:A:1096:GLU:HA	1:A:1099:ARG:NH1	2.32	0.45
5:A:1307:PX4:H32	5:A:1307:PX4:H62	1.98	0.45
1:A:1022:ILE:HD13	1:A:1108:ARG:HG3	1.99	0.44
5:A:1307:PX4:H1	5:A:1307:PX4:H12	1.76	0.44
1:A:1188:MET:HA	1:A:1191:TYR:O	2.18	0.43
1:A:1154:GLU:HG3	1:A:1155:ARG:NH2	2.33	0.43
3:A:1304:1N7:H46	3:A:1304:1N7:H55	1.59	0.42
1:A:1071:PHE:CE1	1:A:1077:SER:HB3	2.54	0.42
1:A:1213:VAL:O	1:A:1217:ILE:HG23	2.20	0.41
3:A:1304:1N7:H33	3:A:1304:1N7:H10	1.85	0.41
1:A:1178:THR:HG22	1:A:1182:GLY:HA3	2.01	0.41
5:A:1308:PX4:H29	5:A:1308:PX4:H35	1.91	0.41
1:A:1123:LEU:O	1:A:1126:VAL:HG22	2.21	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1131:LEU:CB	3:A:1304:1N7:O4[4_555]	1.38	0.82
1:A:1161:GLY:O	5:A:1312:PX4:C5[4_555]	1.38	0.82
1:A:1165:GLU:OE2	5:A:1311:PX4:C5[3_555]	1.38	0.82
5:A:1309:PX4:C2	5:A:1311:PX4:C4[2_555]	1.49	0.71
5:A:1310:PX4:C22	5:A:1312:PX4:C22[4_555]	1.49	0.71
1:A:1172:GLN:OE1	1:A:1180:SER:OG[3_555]	1.86	0.34
1:A:1165:GLU:CD	5:A:1311:PX4:C5[3_555]	1.96	0.24

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	227/271 (84%)	225 (99%)	2 (1%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/249 (84%)	208 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1025	ASN
1	A	1067	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 3 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	PX4	A	1309	-	45,45,45	1.02	2 (4%)	51,53,53	1.06	4 (7%)
3	1N7	A	1304	-	44,46,46	0.60	1 (2%)	69,72,72	1.34	9 (13%)
5	PX4	A	1307	-	45,45,45	1.03	2 (4%)	51,53,53	0.92	2 (3%)
5	PX4	A	1311	-	45,45,45	0.99	2 (4%)	51,53,53	1.15	4 (7%)
5	PX4	A	1312	-	45,45,45	1.02	2 (4%)	51,53,53	1.00	3 (5%)
5	PX4	A	1308	-	45,45,45	1.02	2 (4%)	51,53,53	1.04	3 (5%)
5	PX4	A	1306	-	45,45,45	1.02	2 (4%)	51,53,53	1.07	3 (5%)
5	PX4	A	1313	-	45,45,45	1.04	2 (4%)	51,53,53	1.11	4 (7%)
5	PX4	A	1310	-	45,45,45	1.01	2 (4%)	51,53,53	1.04	2 (3%)
4	LMT	A	1305	-	36,36,36	1.06	3 (8%)	47,47,47	1.19	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PX4	A	1309	-	-	12/49/49/49	-
3	1N7	A	1304	-	-	10/27/92/92	0/4/4/4
5	PX4	A	1307	-	-	17/49/49/49	-
5	PX4	A	1311	-	-	14/49/49/49	-
5	PX4	A	1312	-	-	14/49/49/49	-
5	PX4	A	1308	-	-	15/49/49/49	-
5	PX4	A	1306	-	-	20/49/49/49	-
5	PX4	A	1313	-	-	23/49/49/49	-
5	PX4	A	1310	-	-	15/49/49/49	-
4	LMT	A	1305	-	-	7/21/61/61	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1313	PX4	O5-C9	4.45	1.46	1.33
5	A	1312	PX4	O5-C9	4.36	1.46	1.33
5	A	1309	PX4	O5-C9	4.32	1.45	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1306	PX4	O5-C9	4.30	1.45	1.33
5	A	1307	PX4	O5-C9	4.27	1.45	1.33
5	A	1307	PX4	O7-C23	4.25	1.46	1.34
5	A	1313	PX4	O7-C23	4.25	1.46	1.34
5	A	1308	PX4	O7-C23	4.23	1.46	1.34
5	A	1310	PX4	O5-C9	4.23	1.45	1.33
5	A	1309	PX4	O7-C23	4.19	1.46	1.34
5	A	1310	PX4	O7-C23	4.19	1.46	1.34
5	A	1308	PX4	O5-C9	4.18	1.45	1.33
5	A	1306	PX4	O7-C23	4.14	1.46	1.34
5	A	1311	PX4	O5-C9	4.12	1.45	1.33
5	A	1312	PX4	O7-C23	4.09	1.45	1.34
5	A	1311	PX4	O7-C23	4.03	1.45	1.34
4	A	1305	LMT	O3'-C3'	-2.68	1.36	1.43
4	A	1305	LMT	O2'-C2'	-2.28	1.37	1.43
3	A	1304	1N7	O8-S1	2.16	1.55	1.47
4	A	1305	LMT	O3B-C3B	-2.13	1.37	1.43

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1309	PX4	O7-C23-C24	4.20	120.56	111.48
5	A	1308	PX4	O7-C23-C24	4.16	120.49	111.48
5	A	1311	PX4	O7-C23-C24	4.16	120.48	111.48
3	A	1304	1N7	C9-C5-C6	-4.15	95.95	100.11
5	A	1313	PX4	O7-C23-C24	4.14	120.44	111.48
5	A	1310	PX4	O7-C23-C24	4.11	120.37	111.48
5	A	1306	PX4	O7-C23-C24	3.92	119.97	111.48
5	A	1312	PX4	O7-C23-C24	3.87	119.86	111.48
3	A	1304	1N7	C9-C5-C4	3.70	121.00	117.67
4	A	1305	LMT	C3'-C4'-C5'	-3.53	103.11	110.93
3	A	1304	1N7	C28-C31-C32	3.37	115.59	108.44
5	A	1307	PX4	O7-C23-C24	3.28	118.58	111.48
5	A	1313	PX4	O5-C9-C10	3.16	121.46	111.83
5	A	1311	PX4	C7-O7-C23	-3.11	110.35	117.80
3	A	1304	1N7	C3-C19-C2	3.01	116.75	113.70
5	A	1311	PX4	O5-C9-C10	2.95	120.84	111.83
5	A	1306	PX4	O5-C9-C10	2.92	120.75	111.83
3	A	1304	1N7	C5-C9-C20	2.87	122.96	119.48
5	A	1309	PX4	O5-C9-C10	2.83	120.46	111.83
5	A	1310	PX4	O5-C9-C10	2.73	120.14	111.83
5	A	1312	PX4	O5-C9-C10	2.70	120.06	111.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1312	PX4	C7-O7-C23	-2.65	111.46	117.80
3	A	1304	1N7	C3-C4-C5	2.55	113.86	111.26
5	A	1306	PX4	C7-O7-C23	-2.50	111.81	117.80
5	A	1307	PX4	O5-C9-C10	2.49	119.44	111.83
3	A	1304	1N7	C6-C18-C17	2.40	115.04	111.85
5	A	1308	PX4	C7-O7-C23	-2.37	112.13	117.80
4	A	1305	LMT	C3B-C4B-C5B	-2.31	106.05	110.23
5	A	1308	PX4	O5-C9-C10	2.27	118.76	111.83
5	A	1311	PX4	O7-C23-O8	-2.18	118.61	123.70
5	A	1309	PX4	O7-C23-O8	-2.18	118.61	123.70
3	A	1304	1N7	C7-C6-C18	2.14	121.29	118.36
4	A	1305	LMT	O5B-C1B-C2B	2.12	114.72	110.37
5	A	1309	PX4	C1-C2-N1	-2.09	109.12	115.82
3	A	1304	1N7	C8-C7-C6	-2.07	101.09	105.14
5	A	1313	PX4	O5-C9-O6	-2.05	118.50	123.63
5	A	1313	PX4	C1-C2-N1	-2.02	109.34	115.82

There are no chirality outliers.

All (147) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1304	1N7	N2-C28-C31-C32
3	A	1304	1N7	N2-C28-C31-O5
4	A	1305	LMT	C2-C1-O1'-C1'
5	A	1306	PX4	C1-O3-P1-O4
5	A	1306	PX4	C6-O4-P1-O3
5	A	1307	PX4	C1-O3-P1-O1
5	A	1307	PX4	C1-O3-P1-O4
5	A	1307	PX4	C6-O4-P1-O1
5	A	1307	PX4	C6-O4-P1-O3
5	A	1308	PX4	C1-O3-P1-O2
5	A	1308	PX4	C6-O4-P1-O2
5	A	1309	PX4	C1-O3-P1-O1
5	A	1309	PX4	C1-O3-P1-O4
5	A	1309	PX4	C6-O4-P1-O2
5	A	1309	PX4	O3-C1-C2-N1
5	A	1309	PX4	C24-C23-O7-C7
5	A	1310	PX4	C1-O3-P1-O4
5	A	1310	PX4	C6-O4-P1-O3
5	A	1310	PX4	C24-C23-O7-C7
5	A	1311	PX4	C1-O3-P1-O1
5	A	1311	PX4	C1-O3-P1-O2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	A	1311	PX4	C1-O3-P1-O4
5	A	1312	PX4	C1-O3-P1-O1
5	A	1312	PX4	C1-O3-P1-O4
5	A	1312	PX4	O3-C1-C2-N1
5	A	1313	PX4	C1-O3-P1-O1
5	A	1313	PX4	C1-O3-P1-O4
5	A	1313	PX4	C6-O4-P1-O1
5	A	1313	PX4	C6-O4-P1-O2
5	A	1313	PX4	C6-O4-P1-O3
5	A	1313	PX4	O8-C23-O7-C7
5	A	1313	PX4	C24-C23-O7-C7
5	A	1309	PX4	O6-C9-O5-C8
4	A	1305	LMT	O5B-C1B-O1B-C4'
5	A	1309	PX4	C10-C9-O5-C8
5	A	1309	PX4	O8-C23-O7-C7
5	A	1310	PX4	O8-C23-O7-C7
5	A	1313	PX4	C10-C9-O5-C8
5	A	1313	PX4	O6-C9-O5-C8
3	A	1304	1N7	C22-C20-C9-C5
3	A	1304	1N7	C21-C20-C9-C8
3	A	1304	1N7	C21-C20-C9-C5
4	A	1305	LMT	C2'-C1'-O1'-C1
4	A	1305	LMT	O5'-C1'-O1'-C1
5	A	1311	PX4	C23-C24-C25-C26
4	A	1305	LMT	O5'-C5'-C6'-O6'
5	A	1313	PX4	C24-C25-C26-C27
5	A	1310	PX4	C29-C30-C31-C32
5	A	1311	PX4	C17-C18-C19-C20
5	A	1310	PX4	C28-C29-C30-C31
5	A	1306	PX4	C13-C14-C15-C16
5	A	1308	PX4	C6-C7-C8-O5
5	A	1311	PX4	C6-C7-C8-O5
5	A	1310	PX4	C23-C24-C25-C26
5	A	1307	PX4	C24-C23-O7-C7
5	A	1308	PX4	C29-C30-C31-C32
5	A	1313	PX4	C18-C19-C20-C21
5	A	1306	PX4	C11-C12-C13-C14
5	A	1308	PX4	C16-C17-C18-C19
5	A	1307	PX4	O8-C23-O7-C7
5	A	1313	PX4	C30-C31-C32-C33
5	A	1313	PX4	C28-C29-C30-C31
5	A	1306	PX4	C23-C24-C25-C26

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	A	1307	PX4	O4-C6-C7-O7
5	A	1311	PX4	C24-C23-O7-C7
5	A	1311	PX4	C24-C25-C26-C27
5	A	1313	PX4	C23-C24-C25-C26
5	A	1308	PX4	O7-C7-C8-O5
5	A	1311	PX4	O7-C7-C8-O5
5	A	1307	PX4	C30-C31-C32-C33
5	A	1310	PX4	C17-C18-C19-C20
5	A	1306	PX4	C25-C26-C27-C28
5	A	1311	PX4	C28-C29-C30-C31
5	A	1307	PX4	O4-C6-C7-C8
5	A	1308	PX4	C27-C28-C29-C30
5	A	1307	PX4	C26-C27-C28-C29
5	A	1311	PX4	C27-C28-C29-C30
5	A	1312	PX4	C25-C26-C27-C28
4	A	1305	LMT	C7-C8-C9-C10
5	A	1308	PX4	O4-C6-C7-C8
5	A	1312	PX4	O4-C6-C7-C8
5	A	1309	PX4	C13-C14-C15-C16
5	A	1307	PX4	C15-C16-C17-C18
5	A	1313	PX4	C19-C20-C21-C22
3	A	1304	1N7	C25-C26-C27-N2
5	A	1306	PX4	C27-C28-C29-C30
5	A	1308	PX4	C13-C14-C15-C16
5	A	1307	PX4	C6-C7-C8-O5
5	A	1313	PX4	C29-C30-C31-C32
5	A	1312	PX4	C29-C30-C31-C32
5	A	1307	PX4	O7-C7-C8-O5
5	A	1310	PX4	O7-C7-C8-O5
5	A	1312	PX4	C23-C24-C25-C26
5	A	1306	PX4	C17-C18-C19-C20
5	A	1307	PX4	C9-C10-C11-C12
5	A	1308	PX4	C11-C12-C13-C14
5	A	1311	PX4	O8-C23-O7-C7
5	A	1308	PX4	O4-C6-C7-O7
5	A	1312	PX4	O4-C6-C7-O7
5	A	1310	PX4	C6-C7-C8-O5
5	A	1313	PX4	C2-C1-O3-P1
5	A	1310	PX4	C31-C32-C33-C34
5	A	1306	PX4	O3-C1-C2-N1
5	A	1308	PX4	O3-C1-C2-N1
5	A	1311	PX4	O3-C1-C2-N1

*Continued on next page...*



*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
5	A	1313	PX4	O3-C1-C2-N1
5	A	1312	PX4	C13-C14-C15-C16
5	A	1306	PX4	C1-C2-N1-C3
5	A	1306	PX4	O4-C6-C7-C8
5	A	1312	PX4	C16-C17-C18-C19
4	A	1305	LMT	C5'-C4'-O1B-C1B
3	A	1304	1N7	C22-C23-C24-O1
5	A	1306	PX4	C1-O3-P1-O2
5	A	1306	PX4	C6-O4-P1-O2
5	A	1308	PX4	C1-O3-P1-O1
5	A	1308	PX4	C1-O3-P1-O4
5	A	1309	PX4	C1-O3-P1-O2
5	A	1310	PX4	C1-O3-P1-O2
5	A	1311	PX4	C6-O4-P1-O1
5	A	1313	PX4	C1-O3-P1-O2
5	A	1312	PX4	C9-C10-C11-C12
3	A	1304	1N7	C22-C23-C24-N1
5	A	1306	PX4	C14-C15-C16-C17
5	A	1306	PX4	C1-C2-N1-C5
5	A	1307	PX4	C25-C26-C27-C28
5	A	1306	PX4	O4-C6-C7-O7
3	A	1304	1N7	C22-C20-C9-C8
5	A	1312	PX4	C24-C25-C26-C27
5	A	1306	PX4	C1-C2-N1-C4
5	A	1313	PX4	O4-C6-C7-O7
5	A	1313	PX4	C31-C32-C33-C34
5	A	1313	PX4	C7-C6-O4-P1
5	A	1309	PX4	C18-C19-C20-C21
5	A	1313	PX4	O4-C6-C7-C8
5	A	1306	PX4	O6-C9-O5-C8
5	A	1306	PX4	C10-C9-O5-C8
5	A	1306	PX4	C28-C29-C30-C31
5	A	1310	PX4	C11-C10-C9-O5
5	A	1309	PX4	C26-C27-C28-C29
5	A	1308	PX4	C11-C10-C9-O5
5	A	1312	PX4	O7-C23-C24-C25
5	A	1307	PX4	C11-C12-C13-C14
3	A	1304	1N7	C26-C25-N1-C24
5	A	1307	PX4	C12-C13-C14-C15
5	A	1310	PX4	C11-C10-C9-O6
5	A	1312	PX4	O8-C23-C24-C25
5	A	1310	PX4	C13-C14-C15-C16


There are no ring outliers.


10 monomers are involved in 23 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1309	PX4	0	1
3	A	1304	1N7	3	1
5	A	1307	PX4	6	0
5	A	1311	PX4	1	3
5	A	1312	PX4	2	2
5	A	1308	PX4	3	0
5	A	1306	PX4	4	0
5	A	1313	PX4	1	0
5	A	1310	PX4	0	1
4	A	1305	LMT	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























## 5.7 Other polymers [i](#)

There are no such residues in this entry.



## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	229/271 (84%)	1.95	64 (27%)  	50, 107, 164, 191	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1094	GLY	25.5
1	A	999	GLY	21.6
1	A	1000	SER	16.7
1	A	1002	TYR	15.3
1	A	1065	TYR	11.8
1	A	1099	ARG	9.1
1	A	1095	PHE	9.1
1	A	1092	SER	8.7
1	A	1001	MET	8.5
1	A	1211	ASN	8.0
1	A	1093	SER	7.3
1	A	1096	GLU	7.1
1	A	1217	ILE	6.3
1	A	1006	THR	6.2
1	A	1003	LEU	6.1
1	A	1098	LEU	5.8
1	A	1210	ILE	5.6
1	A	1213	VAL	5.4
1	A	1212	LEU	4.9
1	A	1013	PHE	4.9
1	A	1011	SER	4.5
1	A	1207	PHE	4.4
1	A	1012	SER	4.4
1	A	1221	MET	3.9
1	A	1218	VAL	3.8
1	A	1155	ARG	3.8
1	A	1004	ARG	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	1081	PHE	3.8
1	A	1005	ILE	3.6
1	A	1091	THR	3.5
1	A	1036	THR	3.3
1	A	1209	MET	3.2
1	A	1020	TYR	3.1
1	A	1208	VAL	3.0
1	A	1033	THR	2.9
1	A	1223	ILE	2.9
1	A	1216	ILE	2.8
1	A	1068	ARG	2.8
1	A	1102	ARG	2.8
1	A	1043	VAL	2.8
1	A	1132	SER	2.8
1	A	1044	TYR	2.7
1	A	1008	ILE	2.6
1	A	1214	VAL	2.6
1	A	1077	SER	2.6
1	A	1035	LYS	2.5
1	A	1156	PHE	2.5
1	A	1032	GLU	2.4
1	A	1017	PHE	2.4
1	A	1196	VAL	2.4
1	A	1007	ASN	2.4
1	A	1101	LEU	2.4
1	A	1072	PHE	2.3
1	A	1046	THR	2.2
1	A	1128	PRO	2.2
1	A	1080	ASP	2.1
1	A	1074	ASP	2.1
1	A	1224	LEU	2.1
1	A	1227	LYS	2.1
1	A	1206	ALA	2.1
1	A	1045	THR	2.0
1	A	1178	THR	2.0
1	A	1037	PHE	2.0
1	A	1133	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

### 6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CA	A	1302	1/1	0.26	0.58	150,150,150,150	1
3	1N7	A	1304	43/43	0.54	0.31	86,113,171,190	0
5	PX4	A	1308	46/46	0.61	0.33	110,136,172,199	0
5	PX4	A	1307	46/46	0.71	0.32	87,131,179,196	0
5	PX4	A	1309	46/46	0.72	0.28	94,134,151,161	0
4	LMT	A	1305	35/35	0.74	0.30	70,100,127,135	0
5	PX4	A	1310	46/46	0.75	0.29	89,135,161,188	0
5	PX4	A	1312	46/46	0.80	0.26	77,107,137,148	0
5	PX4	A	1313	46/46	0.80	0.25	47,116,141,166	0
5	PX4	A	1306	46/46	0.81	0.25	88,125,159,188	0
5	PX4	A	1311	46/46	0.86	0.22	61,101,128,147	0
2	CA	A	1301	1/1	0.87	0.41	121,121,121,121	1
2	CA	A	1303	1/1	0.96	0.12	69,69,69,69	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around CA A 1302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 1N7 A 1304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around PX4 A 1308:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around PX4 A 1307:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around PX4 A 1309:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LMT A 1305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around PX4 A 1310:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around PX4 A 1312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around PX4 A 1313:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around PX4 A 1306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PX4 A 1311:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA A 1301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA A 1303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.